

PERGO®

VINYL PLANKS & TILES

www.excelfloor.com



FLOORS
FOR
REAL LIFE


**OUR NEW
forgiving vinyl floor
has arrived!**

Brand new designs
get the trendy look
of concrete and marble

Step inside

a magazine full of inspiration, ideas and
guides!

2019



GREY MODERN MINERAL V2120-40142

» FRONT PAGE GREY MODERN MINERAL V2120-40142

new trendy decors

Max out on minimalism with our new tile decors of concrete, concrete terrazzo and marble. The smooth feeling and raw look makes for an interesting backdrop to almost any style.

25

Our new rigid vinyl can keep a secret!

Our new rigid vinyl floors can be installed in most spaces, and thanks to their design it doesn't matter how the subfloor looks.

4

Waterproof durability

What looks great, can withstand dirt as well as liquids, and lasts (almost) a lifetime?

Correct! A waterproof vinyl floor from Pergo. As a bonus, it's also resistant to dirt and easy to keep clean.


7

Think bigger!

Size matters

when it comes to adding space and volume to a room. Our Modern planks are wider and longer than ever to create a generous and impressive atmosphere in any room.

10



NEW!
impressive
tile size
for a
grand look



Go soft on the environment (too!)

18



20

Do it yourself?

Installing a new floor is easier than you might think. We'll guide you every step of the way!



What about the rest? 26

No worries. We have all the accessories you need to create a complete, beautiful floor.



- » Phthalate-free
- » TitanV™ protection
- » Waterproof
- » Easy to install

Why vinyl?

Pergo vinyl flooring is not only stylish, but also incredibly durable and perfect for an active, modern lifestyle.

It's a revinylution!

Pergo sets a new standard in vinyl flooring. At first sight you'll notice the authentic textures and naturalistic designs rich with true-to-life detail. Add to that the easy click installation and unique surface protection and you'll see why Pergo vinyl floors make a great choice for many areas in your home.

SHORT ON VINYL:

GLUE

- » For all areas, including sunrooms
- » Ideal for challenging applications
- » Requires a smooth subfloor

CLICK

- » Great for large areas – unlimited installation in width and length
- » Can be installed in area with lots of sunlight
- » For installation on subfloor with minor irregularities

NEW! RIGID CLICK

- » Easy click installation
- » Very low contact noise
- » Can be installed on an irregular subfloor

More info
on page 20 or on
pergo.com

Which vinyl
is the best for you?

Pergo vinyl floors come in three different varieties, for installation on different subfloors. If you are wondering what floor you should choose, it's always a good idea to ask your dealer. For installation on an irregular subfloor our new rigid vinyl floor is a great option. It has a convenient click joint and does not require levelling for a perfect result!

**GET A COOL
MARBLE LOOK
FROM
THE FLOOR UP!**

**Why confine flooring
to the floor?**

Create an impressive effect
by allowing your new vinyl
floor to continue onto your
walls too.

Find out more on
pergo.com

NEW!
impressive
tile size
for a
grand look

ITALIAN MARBLE V3120-40136

Splash ohoy!

Some rooms see more action than others – not to mention more splashes.
All Pergo vinyl floors are 100 % waterproof.



ITALIAN MARBLE V3120-40136



As the
ultimate proof
of quality,
Pergo vinyl floors
come with
a guarantee
of up to
25 years.



GREY WASHED OAK, PLANK V3131-40082



100%
waterproof


NEW!
impressive
tile size
for a
grand look

Did you know that vinyl is a good thermal conductor?
It is one of the reasons why vinyl floors are perfectly suited for floor heating!


A floor that speaks volume

Go see it for yourself! Visit your nearest dealer to experience the full grandeur.

GREIGE MOUNTAIN OAK, PLANK V2107-40161




SEASIDE OAK, PLANK V3131-40107



Make your room grow with our Modern planks. The wider, longer size gives the room a more inviting and spacious feeling.

The impressive 1510 x 210 mm plank format is complemented by our naturalistic textures to perfectly mimic nature. The natural look is achieved by adding subtle nuances, high contrasts and variations between individual planks.



SAND BEACH OAK, PLANK V3131-40103



GREY RIVER OAK, PLANK V3131-40084

100%
phthalate-free

Shhh!
Looking for a floor
to keep the peace?
Pergo vinyl floors offer a
quiet and enjoyable walking
experience, reducing sounds
and step noise whilst also
increasing comfort.

MODERN GREY OAK, PLANK V3107-40017

You'll be done in a click!

As a bonus, the click
system makes installation
faster and easier. In fact,
Pergo vinyl floors can be
installed faster than any
vinyl floor on the market.
Read more on page 22.



Midnight blue

Blue is a naturally soothing colour,
making it perfect for bedrooms.
Try mixing it with greens or grays to
find your very own calming touch.

SOFT GREY OAK, PLANK V3107-40038

LIGHT GREY CHALET PINE, PLANK V3107-40039

GREY CHALET PINE, PLANK V3107-40035

Installing a new floor
shouldn't be rocket science.
That's why the click joints on our
vinyl floor snap together quickly
and easily, with reliable vertical
as well as horizontal locking.



NEW!
impressive
tile size
for a
grand look

GREY SOFT CONCRETE V3120-40139

Thinking about
installing the floor
yourself?
Don't worry!
Installation is fast and
easy with our
click system.
More on page 22.



Don't forget
the finishing touch!
Wallbases - white or
matched to the colour
of your floor.
More on page 26.

GREY SOFT CONCRETE V3120-40139



BRING IT ON!

Pergo vinyl floors can take a whole lot more than a knock or two. If you're looking for a durable floor to beautify your entrance halls or other high-wear areas, look no further. **The TitanV™ top protective layer efficiently seals the surface, offering improved resistance against staining and soiling, and protection against scratches.**



Get set for life!
Pergo vinyl floors
come with a guarantee
of up to 25 years.

A modern open-plan kitchen and dining area. The space features large windows that let in plenty of natural light. In the foreground, there's a dining table with a white top and dark legs, surrounded by black chairs. A white bench with colorful cushions sits against the wall. To the right, a kitchen island with a white countertop and dark cabinets is visible. A child's table with a white top and dark legs is also present, with a black chair. The floor is covered in dark grey vinyl tiles. A large potted plant is on the left, and a child's table with a white top and dark legs is on the right. A white bench with colorful cushions is against the wall. A large window in the background shows a view of greenery outside. A circular graphic with the text "100% phthalate-free" is in the top right corner.

100%
phthalate-free

Dreaming of an open-plan kitchen with large windows and lots of sunlight to brighten your day? Then we have just the floor for you. But when it comes to letting in more sun, you also need to consider heat.

Our new vinyl floors are not only waterproof, but also prepared to deal with the extra warmth brought on by lots of sunlight. In fact, our expert manufacturing process enables us to guarantee stability that exceeds industry standards.

Playing it safe!

As a leading producer of flooring we are proud to guarantee that our floors are free from harmful phthalates.

The reason is simple: we do not add any phthalates to our products. And because we only recycle material from our own production facilities, no phthalates will make their way into the production process from products made elsewhere.

**The result is
100% phthalate-free
– and worry-free
flooring!**

BEIGE WASHED OAK, PLANK V3131-40080



Did you know?

A vinyl floor is hygienic, easy to clean and waterproof in case of an accident. And as a bonus to parents, it also helps to reduce noise!



With Pergo rigid vinyl you don't have to worry about getting the subfloor levelled before installation. The Rigid design is created to take care of any irregularities.



NORDIC WHITE PINE, PLANK V3131-40072



NORDIC WHITE OAK, PLANK V3107-40020

Maximum protection – minimal impact

- » 100% phthalate-free
- » Very low VOC emissions
- » Waste recycling
- » Energy efficient production

Which vinyl is the one for you?

The answer is in the subfloor:

levelled
subfloor

Glue

Requires a levelled subfloor.
An ideal choice for challenging applications as well as all other areas, including sunrooms.

Click

Requires a subfloor with only minor irregularities. Great for large areas offering unlimited installation in width and length. Easy installation and suitable for rooms with lots of sunlight. See more on page 22.

slightly irregular
subfloor

irregular
subfloor

NEW! Rigid click

Can be installed on irregular subfloors.
Very low contact noise. Easy installation. See more on page 22.

Choosing a floor is as easy as 1-2-3!

1. Find the design you like. 2. Choose the right kind of vinyl (depending on subfloor) 3. Choose quality level.



A taste of Pergo!
Want to see our floors in real life?
Visit a dealer or
order samples from
pergo.com.


Thinking about
doing it yourself?

**Don't
worry!**


We'll guide you
through the installation
process.

Your floor is just a click away


– use the method that works best for you!



Drop down
(not available for rigid click)



Insert horizontally



Angle

Watch the step-by-step videos on pergo.com

Our vinyl floors
come in two quality levels



optimum

Very durable floors
for use in
commercial applications

Available in:

GLUE, CLICK & RIGID CLICK

- » Class 33
- » TitanV™ scratch, stain and wear resistant layer
- » 25-year guarantee



premium

Durable floors
for
domestic use

Available in:

CLICK & RIGID CLICK

- » Class 32
- » TitanV™ scratch, stain and wear resistant layer
- » 20-year guarantee

Want to know what's in a vinyl floor?
Find out on page 31.

modern plank

glue 1515 x 217 mm
click 1510 x 210 mm
4-way bevel



NORDIC WHITE PINE, PLANK
GLUE ■ V3231-40072
CLICK ■ V3131-40072
RIGID CLICK ■ V3331-40072
CLICK ■ V2131-40072
RIGID CLICK ■ V2331-40072



GREY WASHED OAK, PLANK
GLUE ■ V3231-40082
CLICK ■ V3131-40082
RIGID CLICK ■ V3331-40082
CLICK ■ V2131-40082
RIGID CLICK ■ V2331-40082



GREY RIVER OAK, PLANK
GLUE ■ V3231-40084
CLICK ■ V3131-40084
RIGID CLICK ■ V3331-40084
CLICK ■ V2131-40084
RIGID CLICK ■ V2331-40084




SEASIDE OAK, PLANK
GLUE ■ V3231-40107
CLICK ■ V3131-40107
RIGID CLICK ■ V3307-40055
CLICK ■ V2131-40107
RIGID CLICK ■ V2331-40107




LIGHT WASHED OAK, PLANK
GLUE ■ V3231-40079
CLICK ■ V3131-40079
RIGID CLICK ■ V3331-40079
CLICK ■ V2131-40079
RIGID CLICK ■ V2331-40079




LIGHT DANISH OAK, PLANK
GLUE ■ V3231-40099
CLICK ■ V3131-40099
RIGID CLICK ■ V3331-40099
CLICK ■ V2131-40099
RIGID CLICK ■ V2331-40099




LIGHT VILLAGE OAK, PLANK
GLUE ■ V3231-40095
CLICK ■ V3131-40095
RIGID CLICK ■ V3331-40095
CLICK ■ V2131-40095
RIGID CLICK ■ V2331-40095



BEIGE WASHED OAK, PLANK
GLUE ■ V3231-40080
CLICK ■ V3131-40080
RIGID CLICK ■ V3331-40080
CLICK ■ V2131-40080
RIGID CLICK ■ V2331-40080



SAND BEACH OAK, PLANK
GLUE ■ V3231-40103
CLICK ■ V3131-40103
RIGID CLICK ■ V3331-40103
CLICK ■ V2131-40103
RIGID CLICK ■ V2331-40103




LIGHT HIGHLAND OAK, PLANK
GLUE ■ V3231-40100
CLICK ■ V3131-40100
RIGID CLICK ■ V3331-40100
CLICK ■ V2131-40100
RIGID CLICK ■ V2331-40100




NATURAL VILLAGE OAK, PLANK
GLUE ■ V3231-40096
CLICK ■ V3131-40096
RIGID CLICK ■ V3331-40096
CLICK ■ V2131-40096
RIGID CLICK ■ V2331-40096




BRITISH OAK, PLANK
GLUE ■ V3231-40098
CLICK ■ V3131-40098
RIGID CLICK ■ V3331-40098
CLICK ■ V2131-40098
RIGID CLICK ■ V2331-40098




NATURAL HIGHLAND OAK, PLANK
GLUE ■ V3231-40101
CLICK ■ V3131-40101
RIGID CLICK ■ V3331-40101
CLICK ■ V2131-40101
RIGID CLICK ■ V2331-40101



DARK HIGHLAND OAK, PLANK
GLUE ■ V3231-40102
CLICK ■ V3131-40102
RIGID CLICK ■ V3331-40102
CLICK ■ V2131-40102
RIGID CLICK ■ V2331-40102




DARK RIVER OAK, PLANK
GLUE ■ V3231-40086
CLICK ■ V3131-40086
RIGID CLICK ■ V3331-40086
CLICK ■ V2131-40086
RIGID CLICK ■ V2331-40086



BLACK CITY OAK, PLANK
GLUE ■ V3231-40091
CLICK ■ V3131-40091
RIGID CLICK ■ V3331-40091
CLICK ■ V2131-40091
RIGID CLICK ■ V2331-40091



LIGHT MOUNTAIN OAK, PLANK
GLUE ■ V3201-40163
CLICK ■ V3107-40163
RIGID CLICK ■ V3307-40054
CLICK ■ V2107-40163
RIGID CLICK ■ V2307-40163




NORDIC WHITE OAK, PLANK
GLUE ■ V3201-40020
CLICK ■ V3107-40020
RIGID CLICK ■ V3307-40020
CLICK ■ V2107-40020
RIGID CLICK ■ V2307-40020




MODERN GREY OAK, PLANK
GLUE ■ V3201-40017
CLICK ■ V3107-40017
RIGID CLICK ■ V3307-40017
CLICK ■ V2107-40017
RIGID CLICK ■ V2307-40017




SOFT GREY OAK, PLANK
GLUE ■ V3201-40036
CLICK ■ V3107-40036
RIGID CLICK ■ V3307-40036
CLICK ■ V2107-40036
RIGID CLICK ■ V2307-40036




GREIGE MOUNTAIN OAK, PLANK
GLUE ■ V3201-40161
CLICK ■ V3107-40161
RIGID CLICK ■ V3307-40161
CLICK ■ V2107-40161
RIGID CLICK ■ V2307-40161



LIGHT GREY CHALET PINE, PLANK
GLUE ■ V3201-40054
CLICK ■ V3107-40054
RIGID CLICK ■ V3307-40054
CLICK ■ V2107-40054
RIGID CLICK ■ V2307-40054




GREY GENTLE OAK, PLANK
GLUE ■ V3201-40164
CLICK ■ V3120-40164
RIGID CLICK ■ V3320-40164
CLICK ■ V2120-40164
RIGID CLICK ■ V2320-40164




GREY CHALET PINE, PLANK
GLUE ■ V3201-40055
CLICK ■ V3107-40055
RIGID CLICK ■ V3307-40055
CLICK ■ V2107-40055
RIGID CLICK ■ V2307-40055




WARM GREY MANSION OAK, PLANK
GLUE ■ V3201-40015
CLICK ■ V3107-40015
RIGID CLICK ■ V3307-40015
CLICK ■ V2107-40015
RIGID CLICK ■ V2307-40015




GREY HERITAGE OAK, PLANK
GLUE ■ V3201-40037
CLICK ■ V3107-40037
RIGID CLICK ■ V3307-40037
CLICK ■ V2107-40037
RIGID CLICK ■ V2307-40037



MODERN NATURE OAK, PLANK
GLUE ■ V3201-40018
CLICK ■ V3107-40018
RIGID CLICK ■ V3307-40018
CLICK ■ V2107-40018
RIGID CLICK ■ V2307-40018




CLASSIC NATURE OAK, PLANK
GLUE ■ V3201-40023
CLICK ■ V3107-40023
RIGID CLICK ■ V3307-40023
CLICK ■ V2107-40023
RIGID CLICK ■ V2307-40023



ECRÚ MANSION OAK, PLANK
GLUE ■ V3201-40013
CLICK ■ V3107-40013
RIGID CLICK ■ V3307-40013
CLICK ■ V2107-40013
RIGID CLICK ■ V2307-40013



LIGHT NATURE OAK, PLANK
GLUE ■ V3201-40021
CLICK ■ V3107-40021
RIGID CLICK ■ V3307-40021
CLICK ■ V2107-40021
RIGID CLICK ■ V2307-40021



BROWN MOUNTAIN OAK, PLANK
GLUE ■ V3201-40162
CLICK ■ V3107-40162
RIGID CLICK ■ V3307-40162
CLICK ■ V2107-40162
RIGID CLICK ■ V2307-40162



MODERN COFFEE OAK, PLANK
GLUE ■ V3201-40019
CLICK ■ V3107-40019
RIGID CLICK ■ V3307-40019
CLICK ■ V2107-40019
RIGID CLICK ■ V2307-40019



tile
glue 1305 x 327 mm
click 1300 x 320 mm
rigid click 610 x 305 mm*
4-way bevel




LIGHT CONCRETE
GLUE ■ V3218-40049
CLICK ■ V3120-40049
RIGID CLICK ■ V3320-40049
CLICK ■ V2120-40049
RIGID CLICK ■ V2320-40049



WARM GREY CONCRETE
GLUE ■ V3218-40050
CLICK ■ V3120-40050
RIGID CLICK ■ V3320-40050
CLICK ■ V2120-40050
RIGID CLICK ■ V2320-40050




DARK GREY CONCRETE
GLUE ■ V3218-40051
CLICK ■ V3120-40051
RIGID CLICK ■ V3320-40051
CLICK ■ V2120-40051
RIGID CLICK ■ V2320-40051



OXIDIZED METAL CONCRETE
GLUE ■ V3218-40045
CLICK ■ V3120-40045
RIGID CLICK ■ V3320-40045
CLICK ■ V2120-40045
RIGID CLICK ■ V2320-40045




CREAM TRAVERTINE
GLUE ■ V3218-40046
CLICK ■ V3120-40046
RIGID CLICK ■ V3320-40046
CLICK ■ V2120-40046
RIGID CLICK ■ V2320-40046



LIGHT GREY TRAVERTINE
GLUE ■ V3218-40047
CLICK ■ V3120-40047
RIGID CLICK ■ V3320-40047
CLICK ■ V2120-40047
RIGID CLICK ■ V2320-40047




GREY SCIVARO SLATE
GLUE ■ V3218-40034
CLICK ■ V3120-40034
RIGID CLICK ■ V3320-40034
CLICK ■ V2120-40034
RIGID CLICK ■ V2320-40034



BLACK SCIVARO SLATE
GLUE ■ V3218-40035
CLICK ■ V3120-40035
RIGID CLICK ■ V3320-40035
CLICK ■ V2120-40035
RIGID CLICK ■ V2320-40035



GREY MODERN MINERAL
GLUE ■ V3218-40142
CLICK ■ V3120-40142
RIGID CLICK ■ V3320-40142
CLICK ■ V2120-40142
RIGID CLICK ■ V2320-40142




BLACK MODERN MINERAL
GLUE ■ V3218-40143
CLICK ■ V3120-40143
RIGID CLICK ■ V3320-40143
CLICK ■ V2120-40143
RIGID CLICK ■ V2320-40143



tile
glue 1305 x 327 mm
click 1300 x 320 mm
rigid click 610 x 305 mm*
4-way bevel



ITALIAN MARBLE
GLUE ■ V3218-40136
CLICK ■ V3120-40136
RIGID CLICK ■ V3320-40136
CLICK ■ V2120-40136
RIGID CLICK ■ V2320-40136



GREY SOFT CONCRETE
GLUE ■ V3218-40139
CLICK ■ V3120-40139
RIGID CLICK ■ V3320-40139
CLICK ■ V2120-40139
RIGID CLICK ■ V2320-40139



GREIGE SOFT CONCRETE
GLUE ■ V3218-40144
CLICK ■ V3120-40144
RIGID CLICK ■ V3320-40144
CLICK ■ V2120-40144
RIGID CLICK ■ V2320-40144

wallbases & profiles



Wallbase

PGVSKRC(-), 2000 x 12 x 48 mm, Classic Plank & Tiles
PGVSKRD(-), 2000 x 12 x 55 mm, Modern Plank

(see matching matrix for correct art no)

Waterproof skirting board to hide expansion joints and protect walls. Perfect match to the floor in colour, structure and gloss. Colour: colour matched. Surface: extremely wear resistant vinyl top layer, waterproof. Core: MDF. Patent pending.




Wallbase, paintable

NEVSKRPAINTA, 2000 x 12 x 55 mm

New! Waterproof, paintable skirting board to hide expansion joints and protect walls. Colour: white & paintable; Full polystyrene skirting for a complete waterproof finish.

4 finishes in 1

Finish off your rigid floor perfectly. This profile combines a colour-matched expansion and end profile (against a wall and loose).



T-Moulding

From vinyl to vinyl.




Carpet transition

From vinyl to carpet.



Hard surface reducer

From vinyl to ceramic or linoleum.



End moulding

Finishing up to threshold, sliding doors, etc.



Combi moulding, aluminium


PGPRSILV, 1860 x 10 x 47 mm
The Pergo multifunctional profile can level height differences for a smooth transition on to any other type of floor. Suitable for height differences of 0 – 12.3 mm. Colour: silver. Surface: aluminium.



Expansion profile

PGVEXPSILV, 2000 x 7 x 24 mm
PGVREXPSILV, 2000 x 8 x 30 mm, (rigid)

Finish off your click floor perfectly. Available in wear resistant aluminium. Colour: silver.



Adapter profile

PGVADPSILV, 2000 x 7 x 26 mm
PGVRADPSILV, 2000 x 8 x 29 mm, (rigid)

Finish off your click floor perfectly. Available in wear resistant aluminium. Colour: silver.



End profile

PGVENPSILV, 2000 x 7 x 18 mm
PGVRENPSILV, 2000 x 8 x 21 mm, (rigid)

Finish off your click floor perfectly. Available in wear resistant aluminium. Colour: silver.



Stair nose, click

PGVSTPCLICK, 2000 x 30 x 15 mm

For installation of Pergo click vinyl on stairs and steps. Always glue the floor panels for your safety! Colour: silver.



Stair nose, outer

PGVSTPGLUE, 2000 x 40 x 26 mm

For installation of Pergo glue vinyl on stairs and steps. Colour: silver.



Stair nose, inner

PGVSTPINGLUE, 2000 x 25 x 25 mm

For installation of Pergo glue vinyl on stairs and steps. Colour: silver.

underlays



Underlay basic

PGVUDLBASIC15

Easy to install basic underlay specially developed for all Pergo vinyl floors. Good sound absorbent and prevents irregularities. Perfectly suitable for floor heating and cooling. 15 m² / roll. Thickness: 1 mm.



Sunsafe Underlay

PGVUDLSS10

For areas that are subject to excessive direct heat or extreme temperature variations, when installing click vinyl. Perfectly suitable for floor heating and cooling. (E. g. conservatories, glass houses or summer cabins.) 10 m² / roll. Thickness: 1.5 mm.



Transitstop Underlay

PGVUDLTRS15

This underlay reduces the sound heard by your neighbours to a maximum. Should only be used in combination with our rigid floor. Perfectly suitable for floor heating and cooling. 15 m² / roll. Thickness: 2 mm.

Make a great floor greater!

Choosing the right underlay will not only increase walking comfort, but also add functionality to your floor.

installation



Installation tool

PGVTOOL

Excellent tool for precise cutting straight and 90°. Hand protection with pullbar and lever function. Suited for both left and right handed. Use PGTOOL for rigid vinyl installation.




Cutter knife

PGVKNIFEB
NEVKNIFEREFILL

Professional knife, perfect for precise and stable cutting. Ideal for cutting curves and shapes. 6 blades are included.

The refill includes 40 blades.



Glue

PGVGLUE6, 6 kg (+/- 20 m²)
PGVGLUE15, 15 kg (+/- 50 m²)

Professional glue, specially developed for Pergo vinyl floors. Spreads easily, guarantees fast adhesion and offers the highest strength.



Glue trowel

PGVA2

Ensures perfect glue consumption per m².

installation



Multiglue
PGGLUE290, 290 ml

Suitable for all materials and substrates. Cures quickly with very high final strength. Ideal for installing wallbases and mouldings. Hybrid polymer. One tube gives 15 running meters of skirting.



Sealant
PGKIT(-), 310 ml

For a beautiful finish. Available in 8 colours. Water based acrylic.



Radiator caps
PGRCINOX15, stainless steel
Inner diameter: 15 mm
Outer diameter: 54 mm
2 pc / pack.

PGRCINOX22, stainless steel
Inner diameter: 22 mm
Outer diameter: 54 mm
2 pc / pack.

maintenance



Vinyl floor cleaning
PGVCLEANING1000, 1000 ml

Protects the TitanV™ top protective layer. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Cleaning kit
PGCLEANINGKIT

High quality mop set with extra long ergonomic handle and a mop cloth holder.



Repair wax
PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours covering the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours please visit pergo.com.

You'll be done in a second!

The surface treatment makes your vinyl floor durable as well as easy to keep clean.

General maintenance

Vinyl floors are easy to live with, but as with most things, it needs regular cleaning to stay beautiful. The innovative surface layer with TitanV™ makes a specific treatment after installation unnecessary, and your floor can easily be cleaned with a broom, vacuum cleaner, or a damp mop. We recommend that you always use a non-aggressive maintenance product, like Pergo vinyl cleaner that maintains the original look of your floor. Do not leave a puddle of water on the floor.

Periodic cleaning and maintenance

Clean the floor routinely by sweeping, vacuum cleaning or damp wiping. Always remove immediately grit, sharp objects, staining agents, moisture or aggressive substances from the floor. PLEASE NOTE: Never use aggressive cleaning agents, soap or abrasive cleaners or cleaners containing oil or waxes.

Stain removal

Pergo vinyl floors are very resistant against staining and soiling. However it's always recommendable to remove stains as fast as possible. The longer spilled materials are left on the floor, the greater the risk of permanently staining. Persistent stains may be removed using Pergo vinyl cleaner.

Industrial cleaning

In order to increase resistance and enhance cleaning properties of the flooring for commercial application, an appropriate sealer can be applied according to the instructions of the manufacturer of this product.

matching matrix

optimum GLUE	optimum CLICK	optimum RIGID CLICK	premium CLICK	premium RIGID CLICK	Art. nr / Decor	4-in-1 7 x 38 PGVINCP(-)	Wallbase 12 x 48 PGVSKRC(-)	Wallbase 12 x 55 PGVSKRD(-)	Sealant 310 ml PGKIT(-)
V3201-40013	V3107-40013	V3307-40013	V2107-40013	V2307-40013	Ecor mansion oak, plank	40013	40013		3
V3201-40015	V3107-40015	V3307-40015	V2107-40015	V2307-40015	Warm grey mansion oak, plank	40015	40015		4
V3201-40017	V3107-40017	V3307-40017	V2107-40017	V2307-40017	Modern grey oak, plank	40017	40017		3
V3201-40018	V3107-40018	V3307-40018	V2107-40018	V2307-40018	Modern nature oak, plank	40018	40018		3
V3201-40019	V3107-40019	V3307-40019	V2107-40019	V2307-40019	Modern coffee oak, plank	40019	40019		8
V3201-40020	V3107-40020	V3307-40020	V2107-40020	V2307-40020	Nordic white oak, plank	40020	40020		1
V3201-40021	V3107-40021	V3307-40021	V2107-40021	V2307-40021	Light nature oak, plank	40021	40021		4
V3201-40023	V3107-40023	V3307-40023	V2107-40023	V2307-40023	Classic nature oak, plank	40023	40023		5
V3201-40036	V3107-40036	V3307-40036	V2107-40036	V2307-40036	Soft grey oak, plank	40036	40036		2
V3201-40037	V3107-40037	V3307-40037	V2107-40037	V2307-40037	Grey heritage oak, plank	40037	40037		2
V3201-40054	V3107-40054	V3307-40054	V2107-40054	V2307-40054	Light grey chalet pine, plank	40054	40054		2
V3201-40055	V3107-40055	V3307-40055	V2107-40055	V2307-40055	Grey chalet pine, plank	40055	40055		2
V3201-40161	V3107-40161	V3307-40161	V2107-40161	V2307-40161	Greige Mountain Oak, Plank	40161	40161		1
V3201-40162	V3107-40162	V3307-40162	V2107-40162	V2307-40162	Brown Mountain Oak, Plank	40162	40162		4
V3201-40163	V3107-40163	V3307-40163	V2107-40163	V2307-40163	Light Mountain Oak, Plank	40163	40163		1
V3201-40164	V3107-40164	V3307-40164	V2107-40164	V2307-40164	Grey Gentle Oak, Plank	40164	40164		2
V3218-40034	V3120-40034	V3320-40034	V2120-40034	V2320-40034	Grey Scivaro slate	40034	40034		2
V3218-40035	V3120-40035	V3320-40035	V2120-40035	V2320-40035	Black Scivaro slate	40035	40035		2
V3218-40045	V3120-40045	V3320-40045	V2120-40045	V2320-40045	Oxidized metal concrete	40045	40045		8
V3218-40046	V3120-40046	V3320-40046	V2120-40046	V2320-40046	Cream travertin	40046	40046		4
V3218-40047	V3120-40047	V3320-40047	V2120-40047	V2320-40047	Light grey travertin	40047	40047		2
V3218-40049	V3120-40049	V3320-40049	V2120-40049	V2320-40049	Light concrete	40049	40049		1
V3218-40050	V3120-40050	V3320-40050	V2120-40050	V2320-40050	Warm grey concrete	40050	40050		2
V3218-40051	V3120-40051	V3320-40051	V2120-40051	V2320-40051	Dark grey concrete	40051	40051		2
V3218-40136	V3120-40136	V3320-40136	V2120-40136	V2320-40136	Italian Marble	40136	40136		1
V3218-40139	V3120-40139	V3320-40139	V2120-40139	V2320-40139	Grey Soft Concrete	40139	40139		2
V3218-40142	V3120-40142	V3320-40142	V2120-40142	V2320-40142	Grey Modern Mineral	40142	40142		2
V3218-40143	V3120-40143	V3320-40143	V2120-40143	V2320-40143	Black Modern Mineral	40143	40143		-
V3218-40144	V3120-40144	V3320-40144	V2120-40144	V2320-40144	Greige Soft Concrete	40144	40144		2
V3231-40072	V3131-40072	V3331-40072	V2131-40072	V2331-40072	Nordic white pine, plank	40072		40072	1
V3231-40079	V3131-40079	V3331-40079	V2131-40079	V2331-40079	Light washed oak, plank	40079		40079	1
V3231-40080	V3131-40080	V3331-40080	V2131-40080	V2331-40080	Beige washed oak, plank	40080		40080	1
V3231-40082	V3131-40082	V3331-40082	V2131-40082	V2331-40082	Grey washed oak, plank	40082		40082	2
V3231-40084	V3131-40084	V3331-40084	V2131-40084	V2331-40084	Grey river oak, plank	40084		40084	2
V3231-40086	V3131-40086	V3331-40086	V2131-40086	V2331-40086	Dark river oak, plank	40086		40086	2
V3231-40091	V3131-40091	V3331-40091	V2131-40091	V2331-40091	Black city oak, plank	40091		40091	8
V3231-40095	V3131-40095	V3331-40095	V2131-40095	V2331-40095	Light village oak, plank	40095		40095	3
V3231-40096	V3131-40096	V3331-40096	V2131-40096	V2331-40096	Natural village oak, plank	40096		40096	4
V3231-40098	V3131-40098	V3331-40098	V2131-40098	V2331-40098	British oak, plank	40098		40098	6
V3231-40099	V3131-40099	V3331-40099	V2131-40099	V2331-40099	Light Danish oak, plank	40099		40099	1
V3231-40100	V3131-40100	V3331-40100	V2131-40100	V2331-40100	Light highland oak, plank	40100		40100	3
V3231-40101	V3131-40101	V3331-40101	V2131-40101	V2331-40101	Natural highland oak, plank	40101		40101	4
V3231-40102	V3131-40102	V3331-40102	V2131-40102	V2331-40102	Dark highland oak, plank	40102		40102	4
V3231-40103	V3131-40103	V3331-40103	V2131-40103	V2331-40103	Sand beach oak, plank	40103		40103	2
V3231-40107	V3131-40107	V3331-40107	V2131-40107	V2331-40107	Seaside oak, plank	40107		40107	1



technical guide

		optimum			premium	
Features		GLUE	CLICK	RIGID CLICK	CLICK	RIGID CLICK
Protective top layer against scratch, stain and wear		TitanV™	TitanV™	TitanV™	TitanV™	TitanV™
Installation method		Glue	PerfectFold™ V	Uniclic™	PerfectFold™ V	Uniclic™
Water resistant		•	•	•	•	•
Thickness		2.5 mm	4.5 mm	5 mm	4.5 mm	5 mm
Guarantee against water, wear and delamination (residential use)		25 years	25 years	25 years	20 years	20 years
Guarantee against water, wear and delamination (commercial use)		on request (up to 15 years)	on request (up to 15 years)	on request (up to 15 years)	on request (up to 10 years)	on request (up to 10 years)
Technical		Test method /standard				
Class of use	ISO10582 / EN 16511 (33 – 32)	33	33	33	32	32
Resistance to furniture leg	EN 424	No damage	No damage	No damage	No damage	No damage
Resistance to castor chair	ISO 4918	No damage 25000 cyc	No damage 25000 cyc	No damage 25000 cyc	No damage 25000 cyc	No damage 25000 cyc
Fire classification	EN 13501-1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
Impact sound reduction (without underlay)	ISO 712-2	2 dB	4 dB	4 dB	4 dB	4 dB
Impact sound reduction (with Pergo Basic underlay)	ISO 712-2		19 dB	18dB	19 dB	18dB
Impact sound reduction (with Pergo Sunsafe underlay)			15 dB		15 dB	
Impact sound reduction (with Pergo Transistop)				20dB		20dB
Thermal resistance (without underlay)	EN 12667	0.015 m² K/W	0.020 m² K/W	0.025 m² K/W	0.020 m² K/W	0.025 m² K/W
Thermal resistance (with Pergo Basic underlay)	EN 12667		0.040 m² K/W	0.045 m² K/W	0.040 m² K/W	0.045 m² K/W
Thermal resistance (with Pergo Sunsafe underlay)			0.030 m² K/W		0.030 m² K/W	
Thermal resistance (with Pergo Transistop)				0.055 m² K/W		0.055 m² K/W
Formaldehyde emission	EN 14041	E1	E1	E1	E1	E1
Slip resistance	EN 13893	Class DS	Class DS	Class DS	Class DS	Class DS
Slip resistance	DIN 51130	R10	R10	R10	R10	R10
Dimensional stability, shrinkage / expansion	ISO 23999		±0.05% / ±0.10%		±0.05% / ±0.10%	
Wear resistance	EN13329 annex E	≥2000 cycles	≥2000 cycles	≥2000 cycles	≥1200 cycles	≥1200 cycles

optimum

	length, mm	width, mm	thickness, mm	panels/pack	m²/pack	kg/pack	pack/pallet	m²/pallet
GLUE								
V3231-xxxxx modern plank, 4V	1515	217	2.5	11	3.616	18.400	48	173.58
V3201-xxxxx classic plank, 4V	1256	194	2.5	15	3.655	18.200	52	190.06
V3218-xxxxx tile, 4V	1305	327	2.5	9	3.841	19.200	52	199.71
CLICK								
V3131-xxxxx modern plank, 4V	1510	210	4.5	7	2.220	17.200	48	106.55
V3107-xxxxx classic plank, 4V	1251	187	4.5	9	2.105	16.800	52	109.48
V3120-xxxxx tile, 4V	1300	320	4.5	5	2.080	16.667	52	108.16
RIGID CLICK								
V3331-xxxxx modern plank, 4V	Exact information available spring 2019							
V3307-xxxxx classic plank, 4V	1251	191	5	9	2.145	18.325	52	111.532
V3320-xxxxx tile, 4V	610	305	5	10	1.858	15.918	52	96.619

premium

	length, mm	width, mm	thickness, mm	panels/pack	m²/pack	kg/pack	pack/pallet	m²/pallet
CLICK								
V2131-xxxxx modern plank, 4V	1510	210	4.5	7	2.220	17.200	48	106.55
V2107-xxxxx classic plank, 4V	1251	187	4.5	9	2.105	16.800	52	109.48
V2120-xxxxx tile, 4V	1300	320	4.5	5	2.080	16.667	52	108.16
RIGID CLICK								
V2331-xxxxx modern plank, 4V	Exact information available spring 2019							
V2307-xxxxx classic plank, 4V	1251	191	5	9	2.145	18.325	52	111.532
V2320-xxxxx tile, 4V	610	305	5	10	1.858	15.918	52	96.619

Ever wondered
what Vinyl planks & tiles is
– and what makes Pergo special?
It's in the details!

Pergo vinyl



- 1 Superior TitanV™ layer for scratch, stain and wear resistance
- 2 Fine printed vinyl decor layer
- 3 Highly impact resistant vinyl core
- 4 Extra stabilizing layer containing glass fiber
- 5 Highly impact resistant vinyl backing

Pergo rigid vinyl



- 1 Superior TitanV™ layer for scratch, stain and wear resistance – extra matt for authentic look
- 2 Fine printed vinyl decor layer
- 3 Flexible vinyl layer for a sound absorbing, soft, warm and comfortable feeling
- 4 Rigid composite core that makes levelling of subfloor unnecessary. Two glassfibre reinforced rigid layers prevent the floor from cupping



EASY INSTALLATION The PerfectFold™ V system makes installation quick and easy. Just fold the planks into place using one of the three methods, and you'll be done in no time.



FIRE RESISTANCE Pergo vinyl floors have a natural high resistance to fire. They are designed to meet all European requirements for installation in escape routes and assembly halls.



WEAR PROTECTION The surface of Pergo vinyl offers a multi-layer protective floor finish. The protective TitanV™ layer provides scratch, stain and wear resistance and easy maintenance.



WATER RESISTANCE Our Moisture Resistance System combines the waterproof floor with a strong and tight click joint. This gives Pergo vinyl floors some of the best moisture-resistance properties on the market.



SOUND REDUCTION The soft vinyl floor reduces step noise and provides a quiet and comfortable walking experience.



HYGIENIC A Pergo vinyl floor improves hygiene and makes it easier to maintain a clean home. The sealed surface prevents bacteria, and helps reduce the amount of cleaning chemicals you need.



IMPACT RESISTANCE Pergo's vinyl surface is multi-layer build-up. In combination with the dense core material it gives the floor a very high impact resistance and a low residual indentation, protecting your floor from potential damage.



EASY MAINTENANCE The Pergo TitanV™ protective layer is resistant to dirt and offers you low maintenance and effortless cleaning. The solid design of the click joints also keeps dirt from penetrating the joint.



CASTOR CHAIR The multi-layer build-up of Pergo vinyl in combination with the properties of the core are designed to withstand damage from castor chairs.



**Our floors look even
better in real life!**

Visit our website and order samples
of your favourite designs.



pergo.com



Distributed by
ExcelFloor, Thailand
Contact Mr. Natthapong
Mobile. 097 249 4063
E-mail. INFO@excelfloor.com
Website. www.excelfloor.com

PERGO®