



UNIVERSAL[®]
F L O O R I N G

UNIVERSAL FLOORING
...FOR ALL DIMENSIONS OF LIFE



CEZANNE - OAK LIMED GREY

WHY CHOOSE UNIVERSAL FLOORING



UNIVERSAL
FLOORING

Universal Flooring is a brand of Unilin Flooring, a leading international player in the flooring business. As a manufacturer of engineered wood floors, we have over 40 years of experience in the wood and wood processing industry. We are a member of the international Mohawk Group of companies, listed on the NYSE.

Our shared resources include factories and offices in North-America, Europe, Russia and Southeast Asia with over 26.900 employees providing an exceptional level of worldwide distribution.

Universal Flooring represents:

- Extensive range
- High quality products
- Focus on innovation
- Conservation of the world's natural resources

Our comprehensive warranty and easy maintenance ensure the ongoing beauty of your Universal Flooring.


Website: www.universalwoodfloor.com



NEW COLLECTIONS ORIGINAL COLLECTIONS

MULTILAYER CONSTRUCTION

At Universal Flooring we produce engineered wood, comprising three different layers of wood, joined in a multilayer construction.



- 1 Top Layer - Solid Hardwood 7 coated Lacquer or Oiled
- 2 Second Layer - Eucalyptus or Birch Cross grain laminated Plywood
- 3 Third Layer - Back Solid Beech Veneer to enhance strength and wood balancing
- 4 Bottom Layer - Lacquer coated for moisture protection

UNIVERSAL FLOORING

BENEFITS
STABLE
DURABLE

ENVIRONMENTALLY PREFERRED

UNIVERSAL FLOORING in cross ply to each other, reduce the natural movement within the wood

The face layer of multilayer parquet can be resanded like solid wood

1 m³ oak = 50 m² solid parquet = 150 m² Universal Flooring parquet



ISO 9001 Certified



Glue Standard E1



Lacquer Non-Formaldehyde ,Environment Certificcate



UNIVERSAL
FLOORING



PAL 021JD
Zebra Oak Matt



PAL 009JD
Oak White Washed Matt

PAL 038JD
Mocca Oak Matt

PAL 021JD
Zebra Oak Matt



PAL 3092JD
Frosted Oak Oiled



PAL 505JD
Oak Light White Matt

PAL 1336TY
Mystic Oak Matt

PAL 3092JD
Frosted Oak Oiled

PALAZZO COLLECTION 900-1900*190*15 mm.



IMP 1624TY
HERITAGE OAK OILED



IMP 1623TY
PURE OAK MATT



IMP 1623TY
PURE OAK MATT

IMP 1624TY
HERITAGE OAK OILED

IMP 1625TY
DUNE WHITE OAK MATT

IMPERIO COLLECTION 1100-2200*220*15 mm.

UNIVERSAL
FLOORING

Let us guide you to the perfect floor

Choosing a new floor can raise a lot of questions: which colour should I go for? Which floor matches my style and my interior? Check out our FloorExplorer and RoomViewer online - we will help you make up your mind.



UNIVERSAL
FLOORING



VIL 4010SU
GINGER WALNUT
BROWN BRIGHT



VIL 3487SU
IROKO BRIGHT



VIL 1749SU
SUGAR OAK MATT

VIL 3487SU
IROKO BRIGHT

VIL 4010SU
GINGER WALNUT
BROWN BRIGHT

VILLA COLLECTION

2200*190*14 mm.

Vs. 1749SU

UNIVERSAL
FLOORING



PIC 507TY
OAK WHITE WASHED MATT



PIC 201TY
AMERICAN WALNUT BRIGHT



PIC 201TY
OAK WHITE WARM MATT

PIC 507TY
OAK WHITE WASHED MATT

PIC 201TY
AMERICAN WALNUT BRIGHT

PICASSO COLLECTION

600*90*12 mm.

UNIVERSAL
FLOORING

CEZ 429154TY
OAK CERUSE TRIPLE WHITE

CEZ 3551TY
DESSERT OAK SATIN

CEZ 315TY
OAK NATURAL SATIN

CEZ 201
OAK WHITE WARM MATT

CEZ 208TY
OAK BROWN GREY MATT

CEZ 209TY
OAK WHITE GREY MATT

CEZ 523
OAK LATTE MATT

CEZ 501
BURMESE TEAK SATIN

CEZ 204TY
DARK WALNUT SATIN

CEZANNE COLLECTION

910*125*15 mm.



CAS 429154 OAK TRIPLE WHITE

CAS 553 OAK SUPERWHITE

CAS 507 OAK WHITE WASHED

CAS 1337 MYSTIC OAK

CAS 518 AGED OAK

CAS 201 OAK WHITE WARM



CAS 429133 OAK DOUBLE WHITE



CAS 429158 OAK WHITE GREY



CAS 429159 OAK PEARL GREY



CAS 429157 OAK LIMED GREY



CAS 429156 OAK WARM GREY



CAS 1478 CAPUCCINO OAK

CAS 509 OAK NATURAL

CAS 1472 HONE OAK

CAS 3487 IROKO BRIGHT



CAS 1354 HAVANA OAK

CAS 3488 MERBAU BRIGHT

CAS 429162 KEMPAS BRIGHT

CAS 501 TEAK BRIGHT

CAS 1356 NOBLE WALNUT

CAS 524 OAK BURGUNDY

CAS 3444 SWEET WALNUT



CAS 429161 OAK DARK BROWN



CAS 202 OAK WENGE BRIGHT

MAINTENANCE & WARRANTY

Maintaining your floor is surprisingly **easy**: simply sweep, dry mop or vacuum on a regular basis. If necessary, you can clean the floor with a slightly damp mop. A floor from Universal will **last for years** and years with the proper care and maintenance. We recommend that you use protective materials under furniture legs and castor chairs and place rugs in high traffic entrance areas.

Universal Flooring offers a **superior warranty** to protect your parquet flooring throughout its long life.

UNDERFLOOR HEATING

Every Universal woodfloor - with exception of ash, beech, maple and kempas - can be installed over **water or electric** (traditional) underfloor heating systems. The maximum contact temperature (underside of the woodflooring) must not exceed 27°C. Since woodflooring is exposed to very tough conditions, when installed over underfloor heating systems, **gluing** the parquet is highly recommended.

HARDNESS RATING

The Brinell hardness rating represents a wood species **resistance to impact and wear**. The higher the value, the more durable the wood. The hardness ratings of the wood species used by Universal Flooring are listed here:



For more information about the maintenance, warranty and underfloor heating, please contact your local Universal Flooring dealer or visit our website www.universalflooring.com



CONSERVATION OF THE WORLD'S NATURAL RESOURCES



We at Universal Flooring...

...ensure our commercial activities are based on timber sourced from **well managed forest resources**, through the use of **hevea wood and HDF as middle layer** for our stable multilayer parquet. Our HDF core layer is PEFC-certified. **Hevea** is recycled wood, sourced solely from plantations. When a tree no longer yields sufficient latex, they are replaced by another one, thus starting a new cycle of latex production. Usually, these logged trees are burned by farmers, which causes an excessive amount of CO₂-emissions. Universal Flooring recycles the logged trees and uses them for the multilayer parquet.

...can honestly state that our factories are **FSC- and PEFC-certified**.

...advocate **certification of forests**, and accept the policies of any independent organization.

...support national and international efforts towards sound forest management. We are committed to purchasing all our **timber from legal sources**.

...only use adhesives corresponding to the **E1-standard** which fulfills the highest international environment standards approved by accredited laboratories.

Download E-Catalogue at www.excelfloor.com
Required sample please contact Dealers near you,
or contact Marketing administration at
Tel. +66(2) 924 4249
Fax. +66(2) 924 4256
E-mail. INFO@EXCELFLOOR.COM

Universal Flooring offers a wide selection of genuine hardwood products. Being natural products, they will gradually change colour when exposed to sunlight and other environmental factors. Our photography represents the wood designs as accurately as current printing technology will allow. Final colour selections should always be made from actual wood samples.

UNIVERSAL[®]
F L O O R I N G