

# PERGO®

ORIGINAL LAMINATE



FLOORS  
FOR  
REAL LIFE

**Welcome**

to 76 pages of inspiration

*tips and guides*

2019

**Natural variation  
like never before**  
– new Sensation Modern  
Plank decors

**GO GRAND**  
with Sensation  
Wide Long Plank!



6

### A GRAND VIEW!

Sensation Wide Long Plank floors add an extra spacious feeling to your room.

## NEW Sensational decors in Modern plank format

With even more variation between planks, these new designs create a naturalistic look like no other laminate floor.

7



In rooms that will see a splash or two, our water-resistant Sensation floors are a great way to combine natural looks and supernatural functionality.

8



52

### Caring for the environment




## Find your dream floor choose from 93 designs

What's hot? If you are thinking about a new floor you're well on your way just by reading this. In this inspiration magazine we'll guide you along the way that leads to your new floor.

12



59



56

### Do it yourself?

Installing a new floor is easier than you might think. We'll guide you every step of the way!



54

#### Original Laminate


Wear- and scratch-resistance that you can trust!



### What about the rest?

64

We won't stop until you have all the accessories you need to create a complete, beautiful floor.



## The choice is yours!

Pergo offers regular laminate floors and Sensation laminate. Both are available in different formats and designs. Read more about Sensation on page 4.

# Original durability for modern living

Available in a wide range of designs and formats, our laminate floors are as versatile in looks as they are in function. And with the 100% water-resistant floors, you can now find a laminate floor for all the different rooms in your home, including the kitchen. Pergo is the original. We invented the very first laminate floor,

and with that a whole new category of durable flooring. We have the experience and know-how to guide you to the right floor. And not only that – **we will guide you through the installation and everything else you need to make sure your new floor will be just as beautiful as you want it to be!**

# Sensation – looks that last

Our Sensation laminate floors keep your interior looking new and fresh, without changing colour or hue.

## **This is Pergo Sensation:**

- » True-to-nature look with deep embossing to bring out every grain of the wood design– even into the bevels.
- » Matt finish for a naturalistic look and feel.
- » Surface protection that covers the complete plank – even into the bevels.
- » 100% water-resistance, with AquaSafe technology, makes Sensation floors ideal for kitchens and other wet areas.

**See our Sensation designs in  
Wide long plank and Modern plank  
on pages 59 and 60!**

Natural looks  
and **supernatural  
functionality!**

**See it for yourself  
– visit your dealer!**



**aqua  
safe**



# 4

.....  
**WAYS TO  
ADD SPACE:**

**1. Unclutter**

Removing things brings out the true space of your room.

**2. Pick the right floor**

Large floorboards make the whole interior feel bigger and airier.

**3. Visible corners**

A room feels bigger when you can see its outlines.

**4. Light colours**

With light comes space – and remember: it doesn't have to be white.

## Sensation wide long plank 2050 x 240 mm

The size of each individual plank really allows the room to come to life and brings out the natural look and feel of the Sensation floors even more!

# More Sensational news!

We are proud to present 14 new Sensation decors  
to our Modern plank range.

**With even more variation between planks, these new designs  
create a naturalistic look like no other laminate floor.**

And the bigger the room, the bigger the effect so if you're looking for  
a new floor for a large area, you should really take a look at  
our new Sensation floors.



Can you tell the difference? The deep grooves, matt surface and wood-like feel  
make it almost impossible to tell the durable, water-resistant floor from the wooden one.

**More information on the new designs on page 60**





## Looking for a worry-proof floor?

- » Best durability
- » Fast and easy to install
- » Best guarantee

# 100% water-resistant

With Aquasafe technology Pergo sets the new standard for laminate flooring when it comes to water resistance. AquaSafe allows you to get the durability of a laminate floor in hallways, kitchens and other wet areas. But the ability to withstand water is not the only benefit. A water-resistant floor is equally resistant to dirt and spills.

AquaSafe creates a sealed surface – all the way down into the bevels – efficiently preventing water from penetrating the floor. The result? Water, dirt, and stains stay on the surface and can be easily wiped off. As bonus of being water-resistant, the floors are also

hygienic and easy to maintain. On top of all this **Wide Long plank** and **Modern plank** offer a 10-year wet guarantee and **Classic Plank** 5-years. **See all our water-resistant floors on pages 59 – 62.**



### WATER-RESISTANT AND WORRY-PROOF OUTSIDERS:

Three rooms where you might not think of fitting a water-resistant floor, but perhaps you should?

#### Dining room

Water-resistant also means wine- and sauce-proof. If you spill something, just wipe it off!

#### Kids' room

Who knows what they'll get up to? A water-resistant floor is good insurance.

#### Bathroom

It doesn't have to be all ceramic tiles or vinyl. Pergo AquaSafe introduces new looks to the bathroom.

# Of course, size matters!

- 1: 1200 x 190 mm
- 2: 1257 x 190.5 mm
- 3: 1380 x 190 mm
- 4: 2050 x 205 mm
- 5: 2050 x 240 mm
- 6: 1224 x 408 mm



The individual plank plays an important part in creating an overall impression. Depending on how you choose, you can transform the feeling of the entire room. Make it wider, narrower, longer, darker or lighter – the options are endless.

Our laminate range can offer you everything from long planks that create a modern, spacious ambience to classic planks or big slabs. Several floors have bevelled edges to enhance the feeling of wooden planks or genuine ceramic tiles.



For fast and easy renovation – use a paintable wallbase cover over existing wallbase. See page 67.

FROST WHITE OAK, PLANK L0331-03866

# Take your floor all the way

To make the floor a truly integrated part of your home, we offer a wide selection of accessories. Wallbases, mouldings and underlays add functionality and take your interior to a new level by completing the look of your new floor. Take a look at page 64 to see all the options and learn more!

## OHOY DIY-er!

Three steps you shouldn't skip on your way towards the perfect floor:



underlay



installation kit



wallbases & profiles



**Did you know?**

A water-resistant floor is equally resistant to stains and dirt.



## Living out your dreams inside

Allow your home to blur the lines between outside and in.  
Just leave the doors open, enjoy life and live it  
wherever you feel like. With Pergo Sensation floors you don't  
have to worry about dirt or water from the garden.  
The sealed surface makes it all stay on the  
surface to be wiped away.



# The ABCs of easy living

What used to be a schoolhouse many years ago,  
is now the modern home of a young family.  
By mixing original details and modern furniture,  
they've created a home with a unique character  
and soft pastel colours.


**Sensation**  
wide long plank

ROCKY MOUNTAIN OAK, PLANK L0334-03570




Thinking about installing the floor yourself?  
Don't worry!  
Installation is fast and easy with PerfectFold™ click system.  
More on page 57.

SEASIDE OAK, PLANK L0334-03571



BEACH TOWN OAK, PLANK L0334-03870



With Pergo Sensation you don't have to trade that beautiful look and feel of wood for water-resistance!



## Simple pleasures

Make it easy on yourself.

Aim for a stripped-down, simplified space that will be a joy to live in. It will give you the space you need to fill more of your life with the things you love.



### Everlasting love (or close enough)

The superior durability and lifetime guarantee of Pergo laminate floors means that you'll be able to enjoy the design you love for many, many years to come.

Dare to be trendy!  
Paint your walls  
thunder blue.








ISLAND OAK, PLANK L0339-04297



Getting up in the morning  
is easier when you know  
the first thing you'll touch  
is a nice, warm floor!  
**Read more about Pergo  
Quickheat  
on page 69.**



### Soothing pastels

Powder colours are wonderfully soft and pleasing to the eye. Mixing them in multiples of three gives your interior both variation and harmony.



### Thinking about installing it yourself?

Don't worry! Installation is fast and easy with PerfectFold™ click system. See more on page 57.



## Perfectly imperfect

Let nature take its course in your home.  
Cracks, nuts and rustic wood textures  
add a solid feel to your interior.



COUNTRY OAK, PLANK L0334-03590

## HOW TO CREATE *the relaxed country feel:*

- » Go for fuss-free materials in natural fibres like loose weaves, unbleached cottons and slub linens to get that organic vibe.
- » Banish clutter and stick to a stripped-down, simplified space that will be a joy to live in.
- » A floor made up of long and wide planks creates space and allows your interior to breathe.
- » Be wary of colour – stick to dusky greys, milky whites and soft creams.



RUSTIC OAK NATURE, PLANK L0336-04167





# Classics

*never go out of style*

Get set for life!  
Pergo floors come  
with a lifetime  
guarantee.  
Read more on  
page 55.



# A look that keeps *reinventing itself*



WALNUT, 3-STRIP L0341-01791



NATURAL OAK, PLANK L0341-01804

Thinking about installing the floor yourself?  
Don't worry!  
Installation is fast and easy with PerfectFold™ click system.  
More on page 57.





GET THE SCANDINAVIAN CLASSICS LOOK:

» Mix traditional and modern. If you are starting from scratch, make classics the key pieces. Then you can add a touch of contemporary styling without clashing.

» Work in lots of wood. Allow the warmth and texture of natural wood to come out in everything from your storage furniture to your floor.

» Restrict your colour palette. For a calm, simple style, stick to white, black, grey, shades of one colour (in this case, blue) and natural tones.





**Did you know?**

A water-resistant floor is equally resistant to stains and dirt.



# Clear *contrasts*



Set the scene for your everyday life using the simplicity of black and white. Elementary colours let other things stand out all the more clearly.

*And to simplify even more, the Aquasafe floors combine looks and water-resistance. What could be better for letting the kitchen become a part of your living space?*

BLACK PEPPER OAK, PLANK L0331-03869





RIVERSIDE OAK, PLANK L0339-04301

**FLOOR INSTALLATION TIP:**

When installing a floor, choose the correct orientation to complement the overall look.

As a general rule of thumb, let the floorboards go towards the light source, like a large window. This helps give a more uniform look because the light is not going across each individual joint.

**Don't worry!**

Installation is fast and easy with PerfectFold™ click system. More on page 57.



VINTAGE GREY OAK, PLANK L0339-04311



Let your floor lead the way  
*towards the light!*



## Bring it on!


Laminate flooring combines design with superior durability that can withstand the challenges of everyday life. Want to know more? Take a look at page 54.

**Matching stair nose**  
in the same design  
as your floor makes  
for a complete  
look.




# A stylish everyday


Sure, life is mostly made up of ordinary days, but that's no reason to lower your style standards. If you choose the right kind of floor you can create the interior you love, without worrying about whether it can withstand the challenges – and accidents – that are bound to happen.



BLACK OAK, PLANK L0341-01806



MIDNIGHT OAK, PLANK L0323-01763



MEDIUM GREY SLATE L0320-01779

# Made to match

Unsure about which floor will fit your style?  
Pergo Sensation floors come in different formats and  
designs, allowing for a wide range of looks.  
**See our different surface finishes on page 58.**



**Rustic meets modern.** Our Sensation floors come with a silk matt finish that underlines the naturalistic feel. A pronounced wood structure follows the wood grain in every detail, highlighted by rustic cracks, nuts and scraped effects. Mixed with modern furniture and minimalistic design, it makes for an exciting contrast between styles.





NORTH CAPE OAK, PLANK L0339-04289



### Grey is anything but beige

Don't underestimate grey. Create an elegant and peaceful interior using different hues. Or let the subtle feel be a backdrop to create colourful explosions in your styling.



A taste of Pergo!  
Want to see our  
floors in real life?  
Visit a dealer!

MODERN GREY OAK, PLANK L0323-01753



WEATHERED PINE, PLANK L0339-04315



# The many faces of oak

EUROPEAN OAK, PLANK L0323-01756

## Oak designs are among our most popular floors

And it's easy to understand why. Not only does it offer a natural beauty that goes well with many interior styles.

It also lends itself to different surface treatments, structures and colours.

In other words, an oak floor is not a floor – it's a palette of floors offering a multitude of beautiful designs.



36 VINEYARD OAK, PLANK L0341-03366



Which oak is your favourite?  
Find the whole collection on pages 59 – 63.

NATURAL OAK, PLANK L0341-01804



THERMOTREATED OAK, PLANK L0341-01803



BRUSHED WHITE PINE, PLANK L0331-03373



WHITE SLAB L0318-01783



SILVER OAK, PLANK L0341-01807

# Bright ideas

There are many ways to create a light, roomy interior. Here are some of our favourite light designs: Siberian Oak Winter, Brushed White Pine, Silver Oak and White Slab!



WINTER OAK, PLANK L0323-01764

# CLOSER TO NATURE

Allow the outside into your home.

Earthy materials and ceramics.

Light flowing in through windows filled with greenery.

Make the look complete with the natural look and feel of an oak plank floor.




ROYAL OAK, PLANK L0323-03360



### Keep nature natural

Allow the true colours of natural materials to come to life.



The power of 3  
Three is a good number when picking colours for a calm and peaceful ambience in your home.





Thinking about installing the floor yourself? Don't worry! Installation is fast and easy with PerfectFold™ click system. More on page 57.

# A HOME WITHOUT WALLS

Leave the door open and turn the garden into an extension of your home.  
A roomy interior set in light, neutral tones, is the perfect match for the lush greenery outside.  
Just add friends!







**water-resistant  
& worry-proof!**



A smart move  
Being able to step out  
into the garden usually means  
stepping back  
in again.  
So be sure to pick  
a water-resistant floor  
that withstands  
dirt and water.

Soften up  
with natural  
materials



Inside  
or outside?  
With the  
right floor,  
anything  
goes!

**WHICH  
FLOOR IS  
YOUR  
FAVOURITE?**



**A great floor is about more than just looks. Choosing the right underlay will not only increase walking comfort, but also add functionality to your floor. Read more on page 68.**



MORNING OAK, PLANK L0341-03364



URBAN GREY OAK, PLANK L0331-03388



COTTAGE GREY OAK, PLANK L0323-03362



AUTUMN OAK, PLANK L0233-01785



MOUNTAIN GREY OAK, PLANK L0341-01802



RECLAIMED GREY OAK, PLANK L0323-01760



## THE HOME OF YOUR DREAMS

Considering how much time you spend there,  
surely it deserves to be more than just a room for your bed?





Getting up in the morning  
is easier when you know  
the first thing you'll touch  
is a nice, warm floor!  
**Read more about Pergo  
Quickheat  
on page 69.**



**Get set for life!**

Pergo floors come with a lifetime guarantee. Read more on page 55.

# design with an eye for detail



Find inspiration in the best of contemporary interior design and create a style that is refreshingly different and genuinely rewarding.





**Don't forget!**  
The wallbase is the finishing touch  
for your new floor  
– “colour coordinated” or white.  
More on page 65.





Thinking about  
installing the floor  
yourself?

Don't worry!  
On [pergo.com](http://pergo.com) you'll find  
step-by-step videos  
to guide you  
all the way.



# a splash of colour



Dare to go all the way! Let bright colours blend with clean whites and blacks to create a style that really stands out.





**Did you know?**

A water-resistant floor  
is equally resistant to  
stains and dirt.

## Durability x 2!

Choose a floor that is as good for the interior as it is for the exterior that we all share.

# Durability for the long run

At Pergo, durability is not limited to our products. It extends into our production process and influences how we protect our shared environment. To make it simple: When you choose one of our floors, you should feel safe in the knowledge that it has been produced using a minimum of resources.

To minimise our footprint we recycle whenever and whatever we can. 80% of the content of our products consists of wood surplus from the wood industry. We use only renewable wood products such as pine and spruce – never exotic woods or wood from rainforests that are threatened with extinction. And we try hard to reduce and re-use resources from every step of our production. Like using thermal energy from waste incineration plants to increase the energy efficiency of our own operations, or recycling all wood waste from our milling and sawing processes to heat our production facilities.

As proof of our efforts, we are proud of being the first flooring manufacturer to receive the Nordic Swan ecolabel, certifying that our products are a good environmental choice. In addition, we are also the first to receive the European Ecolabel for laminate flooring through our parent company Unilin. The EU Ecolabel is a label of environmental excellence that is awarded to products and services meeting high environmental standards throughout their life-cycle: from raw material extraction, to production, distribution and disposal.

Environmentally responsible, beautiful and long-lasting – that's Pergo durability.



\* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).





**Ever wondered what laminate is?**  
 – and what makes Pergo special?  
**Get into the details here!**


# The durable choice

Laminate flooring is the perfect combination of design and durability. Thanks to the patented **TitanX™ surface protection**, a Pergo laminate floor will keep its elegant finish year in and year out. TitanX™ is a multilayer technology that includes **protective layers** of aluminium oxide particles, which provides superior resistance to wear and scratching. And with the special **impact layers**, combined with a **high-quality core** material, TitanX™ also provides very high resistance to dropped objects and high-heeled shoes. For more technical info see page 74.



Principle construction of a Pergo multilayer floor

- 1 Superior wear and scratch-resistance layer
- 2 Crystal-clear decor
- 3 Special impact layers
- 4 Moisture-resistant HDF core
- 5 Back stabiliser



Our floors come in three quality levels: tough, tougher & toughest



living **Expression**

**Superior durability**  
 for all-round domestic use

Class 32 » TitanX™  
**25-year guarantee**



original **Excellence**

**Outstanding durability**  
 for the tough demands of everyday life

Class 33 » TitanX™  
**Lifetime guarantee**



public **Extreme\***

**Extreme durability**  
 for high-wear and public areas

Class 34 » TitanX™  
**Lifetime guarantee**

\*Please contact your nearest dealer for more info on public Extreme

# Lifetime guarantee

Extreme durability is the reason we boldly guarantee our floors against wear, stains and fading caused by sunlight for up to 33 years – the best guarantee on the market.

Pergo's guarantees are subject to local law and may therefore vary from country to country. For information about guarantees in your country, contact your nearest Pergo dealer or read more at [pergo.com](http://pergo.com).



**Don't  
worry!**

We'll guide you  
through the installation  
process.

# Thinking about doing it yourself?


**Installing your Pergo floor is now faster and easier than ever.** All our laminate floors come with the innovative PerfectFold™ 3.0 click system offering three different installation methods. Just click the planks together using the method that works best for you and you'll be done in no time. It is even easy to lift them up and replace them when necessary.

**Watch the step-by-step videos on [pergo.com](https://pergo.com)**




# Fast & easy installation with PerfectFold™ click system

Use the method that works best for you!



## Drop down

The ideal method for quickly installing a large area. Click the plank at the long side joint, slide it until it meets the end of the previously installed plank, and press down.



## Insert horizontally

Unlike many other brands, Pergo laminate floors can also be inserted horizontally. A very handy option for places where it is difficult or impossible to tilt the planks (when installing the last row of planks, or under door frames and radiators).



## Angle

If you prefer, Pergo offers a third option for installing your new laminate floor. Simply angle and click the planks together at the short end.

## Your floor is just a click away

\*Domestic Extra Uniclic comes with the Uniclic system offering two different installation methods: Angle & Insert horizontally.

\*\*Classic Plank 4V can not be horizontally inserted on the long side. For more information please consult the installation instructions.

# Beauty beyond looks

There is more to a beautiful floor than meets the eye. That is why Pergo laminate floors not only look authentic, they feel that way too. Our collections feature seven different surface textures that each serve to enhance the authentic impression of your laminate floor.

From the well-worn vintage look to the natural feeling of woodgrain. To allow more fine-tuning of your interior design, our collection also includes different levels of gloss and floors with or without bevels.

Bevels help define each plank, and the shadows they create give your floor an added dimension. To find out what you like, visit your nearest dealer to experience these different options first-hand!



**Genuine™ wood, GW**  
A subtle wood structure that follows the wood grain in every detail, an effect that is even more prominent in our Sensation floors. Available in different gloss levels.




**Genuine™ rustic, GR**  
A pronounced wood structure that follows the wood grain in every detail, which is highlighted even more in Pergo Sensation floors. Can have cracks, knots and scraped effects.




**Genuine™ sawcut, GC**  
Realistic wood structure with a saw effect.




**Genuine™ stone, GS**  
A life-like impression that follows the structure of real stone tiles.



**Wood, WO**  
A fine and realistic wood texture, which highlights any kind of wood decor from light to dark wood species. Available in different gloss levels.



**Smooth, SO**  
A silky, smooth surface for a softer touch and modern look. Available in different gloss levels.



**Antique wood, AW**  
A rustic texture with a vintage feeling.

## Structure

- WO** Wood
- SO** Smooth
- GW** Genuine™ wood
- GR** Genuine™ rustic

- GC** Genuine™ sawcut
- GS** Genuine™ stone
- AW** Antique wood

## Gloss

- SP** Semi polished
- SM** Silk matt
- MA** Matt
- EM** Extra matt



# Sensation

## wide long plank

2050 x 240 mm | 4-way bevel



SIBERIAN OAK, PLANK

- L0234-03568
- L0334-03568


**GW / MA**



ROCKY MOUNTAIN OAK, PLANK

- L0234-03570
- L0334-03570


**GW / EM**



SEASIDE OAK, PLANK

- L0234-03571
- L0334-03571

**GW / SM**



BEACH TOWN OAK, PLANK

- L0234-03870
- L0334-03870

**GR / EM**



CHATEAU OAK, PLANK

- L0234-03589
- L0334-03589

**GW / SM**



COUNTRY OAK, PLANK

- L0234-03590
- L0334-03590

**GW / SM**



■ original Excellence ■ living Expression

Abbreviations: see page 58




sensation  
modern  
plank

1380 x 190 mm  
4-way bevel



FROST WHITE OAK, PLANK

■ L0231-03866  
■ L0331-03866 **GW / MA**



BRUSHED WHITE PINE, PLANK

■ L0231-03373  
■ L0331-03373 **GR / EM**




STUDIO OAK, PLANK

■ L0231-03867  
■ L0331-03867 **GW / MA**




MODERN DANISH OAK, PLANK

■ L0231-03372  
■ L0331-03372 **GW / SM**




NORTH CAPE OAK, PLANK

■ L0239-04289  
■ L0339-04289 **GW / MA**




NORDIC SAND OAK, PLANK

■ L0239-04291  
■ L0339-04291 **GW / MA**




NEW ENGLAND OAK, PLANK

■ L0231-03369  
■ L0331-03369 **GR / SM**




COASTAL OAK, PLANK

■ L0231-03374  
■ L0331-03374 **GW / EM**




ISLAND OAK, PLANK

■ L0239-04297  
■ L0339-04297 **GW / MA**




CITY OAK, PLANK

■ L0231-03868  
■ L0331-03868 **GW / MA**




MOORLAND OAK, PLANK

■ L0239-04305  
■ L0339-04305 **GR / MA**




SKAGEN OAK, PLANK

■ L0239-04293  
■ L0339-04293 **GW / MA**



TUNDRA OAK, PLANK

■ L0239-04299  
■ L0339-04299 **GW / MA**




SCRAPED VINTAGE OAK, PLANK

■ L0231-03376  
■ L0331-03376 **GR / SP**




VILLAGE OAK, PLANK

■ L0231-03375  
■ L0331-03375 **GW / EM**




MANOR OAK, PLANK

■ L0231-03370  
■ L0331-03370 **GR / SM**




STOCKHOLM OAK, PLANK

■ L0239-04295  
■ L0339-04295 **GW / MA**




RIVERSIDE OAK, PLANK

■ L0239-04301  
■ L0339-04301 **GW / MA**




REFINED WALNUT, PLANK

■ L0239-04319  
■ L0339-04319 **WO / MA**




BARNHOUSE OAK, PLANK

■ L0239-04307  
■ L0339-04307 **GR / MA**



TASMANIAN OAK, PLANK

■ L0239-04317  
■ L0339-04317 **WO / MA**




FARMHOUSE OAK, PLANK

■ L0231-03371  
■ L0331-03371 **GR / SM**



LIMED GREY OAK, PLANK

■ L0231-03367  
■ L0331-03367 **GW / EM**



VINTAGE GREY OAK, PLANK

■ L0239-04311  
■ L0339-04311

**GW / SM**



GREY BARNHOUSE OAK, PLANK

■ L0239-04303  
■ L0339-04303


**GR / MA**



URBAN GREY OAK, PLANK

■ L0231-03368  
■ L0331-03368

**GW / EM**



WEATHERED PINE, PLANK

■ L0239-04315  
■ L0339-04315

**GW / MA**




BLACK PEPPER OAK, PLANK

■ L0231-03869  
■ L0331-03869

**GR / SM**

## long plank

2050 x 205 mm  
4-way bevel



WINTER OAK, PLANK

■ L0223-01764  
■ L0323-01764


**GW / SM**



NATURAL ASH, PLANK

■ L0223-01766  
■ L0323-01766


**AW / SM**



CHOCOLATE OAK, PLANK

■ L0223-01754  
■ L0323-01754

**GW / SM**



MIDNIGHT OAK, PLANK

■ L0223-01763  
■ L0323-01763


**GW / SM**



ROMANTIC OAK, PLANK

■ L0223-03361  
■ L0323-03361


**GW / SM**



MODERN GREY OAK, PLANK

■ L0223-01753  
■ L0323-01753


**GW / SM**



DRIFT OAK, PLANK

■ L0223-01755  
■ L0323-01755


**GW / SM**



CLASSIC BEIGE OAK, PLANK

■ L0223-03359  
■ L0323-03359

**GR / SM**



EUROPEAN OAK, PLANK

■ L0223-01756  
■ L0323-01756


**GW / SM**



ROYAL OAK, PLANK

■ L0223-03360  
■ L0323-03360


**GR / SM**



BURNT OAK, PLANK

■ L0223-01757  
■ L0323-01757

**GW / SM**



COTTAGE GREY OAK, PLANK

■ L0223-03362  
■ L0323-03362

**GW / SM**



AUTUMN OAK, PLANK

■ L0223-01765  
■ L0323-01765

**GW / SM**




RECLAIMED GREY OAK, PLANK

■ L0223-01760  
■ L0323-01760

**GR / SM**

## classic plank 4V


1257 x 190.5 mm  
4-way bevel



RUSTIC OAK NATURE, PLANK

■ L0336-04167


**GW / SM**



ELEGANT WALNUT, PLANK

■ L0336-04168


**SO / SP**



ROYAL DARK WALNUT, PLANK

■ L0336-04169

**GW / SM**



AUTHENTIC OAK LIGHT GREY, PLANK

■ L0336-04170

**GW / SM**




WARM TEAK, PLANK

L0336-04171 GW / SM



ROYAL LIGHT WALNUT, PLANK

L0336-04172 SO / SM



BROWNIE OAK, PLANK

L0336-04173 GR / SM




classic plank

1200 x 190 mm




SILVER OAK, PLANK

L0241-01807 L0341-01807 GW / SM




MORNING OAK, PLANK

L0241-03364 L0341-03364 GW / SM




PREMIUM OAK, PLANK

L0241-01801 L0341-01801 GW / SM




VINEYARD OAK, PLANK

L0241-03366 L0341-03366 GW / SM




NORDIC PINE, PLANK

L0241-01810 L0341-01810 WO / WA




NATURAL OAK, PLANK

L0241-01804 L0341-01804 GW / SM




NATURAL SAWCUT OAK, PLANK

L0241-01809 L0341-01809 GC / SM




MOUNTAIN GREY OAK, PLANK

L0241-01802 L0341-01802 GW / SM




DARK GREY OAK, PLANK

L0241-01805 L0341-01805 GW / SM




THERMOTREATED OAK, PLANK

L0241-01803 L0341-01803 GW / SM



MERBAU, PLANK

L0241-01599 L0341-01599 SO / SP




BLACK OAK, PLANK

L0241-01806 L0341-01806 GW / SM



classic plank

1200 x 190 mm  
2-strip / 3-strip




NORDIC ASH, 2-STRIP

L0241-01800 L0341-01800 WO / MA



SUPREME BEECH, 3-STRIP

L0241-01796 L0341-01796 SO / MA




SOLID OAK, 3-STRIP

L0241-01790 L0341-01790 SO / MA




NORDIC GREY OAK, 2-STRIP

L0241-03363 L0341-03363 GW / SM



GREY OAK, 3-STRIP

L0241-01786 L0341-01786 GW / SM




WALNUT, 3-STRIP

L0241-01791 L0341-01791 SO / SP



big slab

1224 x 408 mm  
4-way bevel



ALPACA SLATE

L0220-01781 L0320-01781 GS / MA



LIGHT GREY SLATE

■ L0220-01780  
■ L0320-01780

**GS / MA**



MEDIUM GREY SLATE

■ L0220-01779  
■ L0320-01779

**GS / MA**




CHARCOAL SLATE

■ L0220-01778  
■ L0320-01778

**GS / MA**

big  
slab  
1224 x 408 mm



WHITE SLAB

■ L0218-01783  
■ L0318-01783

**SO / MA**



CONCRETE MEDIUM GREY


■ L0218-01782  
■ L0318-01782

**SO / MA**

## DOMESTIC extra uniclic 1200 x 190 mm

It's the perfect solution when your budget is limited – but it is a budget solution in price only.

With a 20-year guarantee, Domestic Extra Uniclic delivers quality laminate flooring with the durability that you expect from a Pergo floor.



CLASSIC WHITE OAK

L0701-1823  
CHINA & SEA


**WO / MA**



HARMONY OAK

L0701-1459  
CHINA & SEA

**SO / MA**



CLASSIC GREY OAK, 3-STRIP

L0701-1821  
CHINA & SEA


**WO / MA**



LIGHT NATURAL OAK

L0701-3185  
CHINA & SEA


**SO / MA**



BEIGE OAK

L0701-3443  
SEA


**WO / MA**



WARM NATURAL OAK

L0701-3184  
SEA

**SO / MA**



AUSTRALIAN ACACIA

L0701-1050  
CHINA & SEA


**WO / SM**



CHALKED OAK

L0701-1826  
CHINA & SEA


**WO / MA**



CLASSIC OAK

L0701-1824  
CHINA & SEA


**WO / MA**



ITALIAN WALNUT

L0701-2136  
CHINA & SEA


**SO / MA**



CHOCOLATE OAK

L0701-3173  
CHINA & SEA

**AW / MA**



DARK WALNUT

L0701-3441  
SEA


**WO / SM**



WARM TEAK

L0701-3442  
SEA

**WO / SM**



ASIAN MERBAU

L0701-1599  
CHINA & SEA

**SO / SP**

## Don't forget to add the finishing touches!

### YOUR SHOPPING LIST:

#### Floor

It's a good idea to add 10% to the measured floor surface.

#### Underlay

Goes under the floor, to help eliminate noise, level out the underfloor, give moisture protection or add floor heating. See page 68.

#### Installation tools

If you are going to install the floor yourself, make sure you get the tools you need to make it easy. Pergo offers a complete range of installation tools. Ask your dealer for advice! See page 70.

#### Wallbases

By adding wallbases in the same look as the floor, your interior gets a seamless and stylish impression.

#### Maintenance

Keep your floor looking its best with Pergo cleaning products. See page 71.

There are some things you might not think of as important parts of a beautiful floor. For the best-looking result, we recommend that you take the time to include accessories when you go floor shopping.



We'll guide you through the installation process.  
**Watch instruction video on [pergo.com](https://pergo.com)**





# 1

## Wallbases

Pergo's colour coordinated wallbases are installed easily and flexibly using a snap-in system, nails, screws or glue.



# 2

## Beading

When you want to keep existing wallbases or install plinths, a beading is a practical solution that can help hide transitions and add an extra design touch. It's also well suited for window frames that extend all the way down to the floor. A small and very useful wallbase.



# 3

## T-Mouldings

T-Mouldings are necessary for allowing floors to move when installing separate flooring sections on the same level, e.g., in two connecting rooms with the same floor. Available in our 5-in-1 solution.



# 4

## Transitions and finishing pieces

These accessories provide an elegant transition and compensate for height differences wherever laminate floors meet other flooring surfaces. Use a Carpet Transition between laminate and carpeting, and a Hard Surface Reducer between laminate and tiles. End Mouldings provide a nice finish against thresholds and in other similar situations. Available in our 5-in-1 solution.



# 5

## Stair noses

Pergo's flooring is an excellent choice even for staircases, where matching stair noses are used to provide an elegant finish to each individual step. Available in our 5-in-1 solution.



PGINCP(-)  
2150 x 13 x 48 mm

(see matching matrix for correct art no)

# 5 perfect finishes in 1



Pergo 5-in-1 offers different moulding solutions for different parts of your floor, all wrapped up in one handy package. The mouldings match your floor perfectly in colour as well as in structure, and the all-in-one solutions provide a seamless result. The surface is wear- and scratch-resistant laminate. The core consists of HDF and the bottom is made of plastic. With the patented Incizo<sup>®</sup> solution, you simply cut the moulding to the shape you need. Suitable for flooring heights between 7 and 10 mm.



1

### T-moulding



From laminate to laminate.



2

### Carpet transition


From laminate to carpet.



3

### Hard surface reducer



From laminate to ceramic, vinyl or linoleum.



4

### End moulding


Finishing up to threshold, sliding doors, etc.



5

### Stair nose moulding, flush

For a flush finish on stair treads.



5

### Stair nose moulding

For a step down from a floating floor, e.g. at the top of the stairs or a step down in a room.




### Stair nose

PGSTPSILVME270, 2700 x 23 mm

Fits flooring thickness 7 – 16 mm.

Colour: silver.

Surface: aluminium.




The Incizo<sup>®</sup> subprofile is required for stair application and has to be ordered separately.



NEINCPBASE(-)

See matching matrix for correct art no.



### Wallbase, straight

PGSK(-), 2400 x 12 x 58 mm – modern plank 9 mm

PGPSK(-), 2400 x 14 x 77 mm – modern plank 9 mm

See matching matrix for correct art no. Colour matched.



Surface: wear and scratch-resistant laminate. Core: MDF.

PGSK(-) is adaptable to 40 mm height.

\*8 straight and 8 corner connecting plugs included / pack (6 wallbases).

### Extra connecting plugs

NEPLUG, 48 pcs (24 corner plugs + 24 straight plugs)



### Wallbase, straight

PGSKR(-), 2400 x 14 x 58 mm – wide long plank, modern plank 8 mm,

long plank, classic plank, big slab, domestic extra uniclic



PGPSKR(-), 2400 x 14 x 77 mm – wide long plank, modern plank 8 mm,

long plank, classic plank, big slab, domestic extra uniclic

See matching matrix for correct art no.

Colour matched. Surface: wear and scratch-resistant laminate.


Core: MDF.



### Wallbase, straight

PGSKRWHITE, 2400 x 14 x 58 mm – white  
 PGSKRPAINT, 2400 x 14 x 58 mm – paintable  
 PGPSKRWHITE, 2400 x 14 x 77 mm – white  
 PGPSKRPAINT, 2400 x 14 x 77 mm – paintable


Colour: white, paintable. Surface: foil. Core: MDF.



### Wallbase, cover

PGSKRCOVERMD240, 2400 x 16 x 129 mm



For easy and fast renovation.  
 Covers existing wallbase. Adaptable size.  
 Colour: paintable. Surface: foil. Core: MDF.



### Waterproof wallbase

NEVSKRPAINTA, 2000 x 12 x 55 mm


Waterproof. Hides expansion joints and protects walls.  
 Install with Multiglue. Colour: white, paintable.  
 Surface and core: waterproof polystyreen.



### Beading

PGSCOT(-), 2400 x 17 x 17 mm – modern plank 9 mm.


See matching matrix for correct art no.  
 Colour matched. Surface: wear and scratch-resistant laminate.  
 Core: MDF.



### Beading

PGSCOTWHITE, 2400 x 17 x 17 mm – white  
 PGSCOTPAINT, 2400 x 17 x 17 mm – paintable

Colour: paintable. Surface: foil. Core: MDF.



### End moulding

PGENPSILVME270, 2700 x 25 mm

Fits flooring thickness 6 – 10 mm.  
 Colour: silver. Surface: aluminium.



### Combi moulding

PGPRSILVME186, 1860 x 47 mm

T-moulding and reducer in one. Plastic bottom rail.  
 Suitable for height differences of 0 – 12.3 mm.  
 Height: 10 mm (uninstalled). Colour: silver.  
 Surface: aluminium.

## Make a great floor greater!

- » Before installing your new Pergo laminate floor, you need to select an underlay.
- » With an underlay you can increase walking comfort, as well as add functionality to your floor.
- » Improve the acoustics in a room, or add moisture protection. Pergo underlays provide a wide range of benefits.
- » Turn the page to find the flooring underlay that is right for you!


**Make a great floor greater!**  
 Before installing your new floor, you need to select an underlay

# Underlays for wood subfloors

Durability  
 Walking sound reduction  
 Floor heating  
 Vapour barrier  
 Thickness

**GOOD**  
 Underlay Foam


●●○○○○  
 ●●○○○○  
 ●●●○○○  
 NO  
 2 mm



**Underlay Foam**  
 PGUDLFOAM15B  
 For rooms with light traffic.  
 15 m<sup>2</sup> / roll.

**BETTER**  
 Smart Underlay


●●●●●○  
 ●●●○○○  
 ●●●○○○  
 NO  
 3 mm



**Smart Underlay**  
 PGUDLSMART15  
 For rooms with frequent traffic.  
 15 m<sup>2</sup> / pack.

**BEST**  
 Silent Walk

●●●●●●  
 ●●●●●○  
 ●●●●●●  
 YES\*  
 2 mm




**Silent Walk**  
 PGUDLSW7  
 A very durable and strong underlay  
 for rooms with more frequent traffic.  
 7 m<sup>2</sup> / roll.

# Underlays for concrete subfloors

Durability  
 Walking sound reduction  
 Floor heating  
 Vapour barrier  
 Thickness

**GOOD**  
 Underlay Foam+


●●●○○○  
 ●●●○○○  
 ●●●○○○  
 YES  
 2 mm



**Underlay Foam+**  
 PGUDLFOAMPLUS15  
 A good basis for rooms with less  
 traffic. Integrated vapour barrier with  
 an overlap and tape strip included.  
 15 m<sup>2</sup> / roll.

**BETTER**  
 Smart Underlay+


●●●●●○  
 ●●●○○○  
 ●●●○○○  
 YES  
 3 mm



**Smart Underlay+**  
 PGUDLSMARTPLUS15  
 Good in rooms with more frequent  
 traffic. Integrated vapour barrier  
 an overlap and tape strip included.  
 15 m<sup>2</sup> / pack.

**BEST**  
 Silent Walk

●●●●●●  
 ●●●●●○  
 ●●●●●●  
 YES\*  
 2 mm



**Silent Walk**  
 PGUDLSW7  
 A very durable and strong underlay  
 for rooms with more frequent traffic.  
 7 m<sup>2</sup> / roll.

\*When installing the SilentWalk on concrete floors or atop floorheating, tape the edges of the underlay with a damp-proof tape. Don't do this when installing on wooden subfloors.

# Underlays for professional use




## Professional SoundBloc™

PGUDLPS15, 0.95 x 15.79 m = 15 m<sup>2</sup> / roll  
 PGUDLPS50, 0.95 x 52.64 m = 50 m<sup>2</sup> / roll

The best underlay for eliminating reflected walking sound. Increases walking comfort and provides excellent impact sound insulation. Integrated vapour barrier with an overlap and tape strip included.


Thickness: 2 mm

Material: Crosslinked polyethylene foam



### Getting cold feet?

There's no need. With Pergo Quickheat, installing underfloor heating is easy.



**Pergo Quickheat is the smart and easy way to enjoy underfloor heating.**

**Nothing to cast in concrete, minimum bother – you can even forget about the electrician. Just roll out the Quickheat mats with built-in heating cables and click them together. Install the thermostat and safety box on the wall and plug in. It really is that simple.**

In addition to warmth, Pergo quickheat also provides walking comfort, so no other underlay is needed. By supplementing your primary heating system with Pergo Quickheat, you can also usually lower the temperature 2 – 3 degrees compared to using radiators. The timer included with the system can be set for 5 + 2 days.

## 1. Quick, comfortable warmth


Pergo Quickheat consists of two layers of foam plus a middle layer with heating cables and a reflective surface of aluminium foil. Thanks to the insulation and the heat-reflective surface in the bottom of the mat, all heat is directed upward for fast adjustment of the room's temperature.

## 2. Built-in safety feature

Pergo Quickheat has a built-in electrical safety feature that automatically disconnects power if a failure should occur. Naturally, the system is certified for do-it-yourself installation and fulfils international standards for removable floors.

## 3. Wireless thermostat in every room

With Pergo Quickheat you can easily fine-tune the temperature of each room. Once the mats have been rolled out, simply connect the safety box and set the wireless thermostat to the desired temperature. The flexible timer allows you to have separate floor heating settings for weekdays and weekends. Four individual time zones support your daily mode (morning, day, evening and night) and each period can be set with a unique temperature.



### Pergo Quickheat, 55

PGUDLQH2, 2 x 1 m  
 PGUDLQH3, 3 x 1 m  
 PGUDLQH4, 4 x 1 m  
 PGUDLQH5, 5 x 1 m

55 W / m<sup>2</sup>. 220 V 50 Hz (European plug).  
 Max load: 10 A (2300 W at 230 V).  
 Maximum installation area: 42 m<sup>2</sup>.  
 Suitable for 5% ~ 95% relative humidity.  
 Thickness: 8 mm. Thermal Insulation: 8 W / m<sup>2</sup> K.

### Filler mat

PGUDLQHILLERMAT, 6.37 m<sup>2</sup>

26 mats/box. Used for the space between the heating mats and the wall.

### Extension cables

PGQHEXTCAB025, 0.25 m  
 PGQHEXTCAB100, 1.0 m  
 PGQHEXTCAB200, 2.0 m

Used between mats and/or to extend between mats and safety box.



### Installation kit, wireless

PGUDLQHKITEU

Wireless thermostat, safety box, connector tool and installation instructions.

# installation



**Moisturbloc Extreme™**  
PGUDLMOH15, 1.05 x 15 m = 15 m<sup>2</sup>  
(5 cm overlap)

This vapour barrier has three times the moisture resistance of a traditional PE film. Can be installed on concrete floors with up to 95% relative humidity, making it ideal in basements and on concrete floors with high humidity. Moisturbloc Extreme™ makes it possible to install floors earlier during the construction of new homes.  
Thickness: 2.5 mm. Material: Polypropylene. Tape included.



**PE film (polyethylene)**  
PGUDLSCREEN34, 12.5 x 2.7 m  
= 33.75 m<sup>2</sup> / roll

A film that protects flooring from moisture vapour rising up from a mineral or concrete subfloor. Useful lifetime 50 years. Thickness: 0.2 mm. Material: Polyethylene, alkaline resistant.



**Installation kit**  
PGTOOL

Everything you need in one box. Contains tapping block, installation spacers in two sizes (2 x 18 = 36 pcs) and a pull bar.

**Extra spacers**  
PGSPACER, 48 pcs



**Wallbase installation kit**  
PGCLIPS15LM

For PGSKR(-) and PGPSKR(-) wallbases only, including paintable/white variants. Easy-to-use snap-in system where no nails or screws are visible. One installation kit covers 15 metres of wallbase.



**Wallbase installation clips**  
PGCLIPSKME95  
– modern plank 9 mm

For PGSK(-) wallbases only. Easy-to-use snap-in system where no nails or screws are needed. One installation kit covers 20 metres of wallbase.



**Wallbase installation track**  
NETRACK

For PGPSK(-) wallbases only. Glue on installation. Useful for easy access of hidden cables. One track per skirting is needed.



**Safeseal**  
PGSEAL500, 500 ml

For floor areas that require extra protection against moisture. PVAc based.



**Multiglu**  
PGGLUE290, 290 ml

Ideal for installing wallbases and mouldings. Hybrid polymer. One tube gives 15 running meters of skirting.



**Sealant**  
PGKIT(-), 310ml

For a beautiful finish. Dry in half an hour and fully cured after 24 hours. Available in 8 colours. Water-based acrylic.



**Radiator caps**  
PGRCINOX15, stainless steel  
Inner / outer diameter: 15 / 54 mm  
PGRCINOX22, stainless steel  
Inner / outer diameter: 22 / 54 mm



**Tape**  
NETAPE50, 50 m x 5 cm

Self-adhesive aluminium tape for underlays.

## Aqua accessories – for wet-area use with Pergo AquaSafe floors



**Aqua Sealant**  
PGKITTRANSP, 310 ml

For invisible and waterproof finishing around wallbases, mouldings, transitions, door frames, etc.



**Foamstrip**  
NEFOAMSTRIP20, 20 m x 10 mm

PE foam expansion joint filler. Serves as an elastic filler of all dilatation gaps around the floor perimeter. Requires sealing with Aqua Sealant.

# maintenance

The tightly sealed TitanX™ surface prevents dirt from taking hold, making Pergo laminate floors easy to clean. Our high-quality, ergonomically designed original maintenance accessories make it even easier to keep your floor looking fresh for longer. To maintain the lustre of a Pergo floor, avoid using regular cleaning products such as soaps and detergents as these will form a film on the surface. Pergo's special all-round cleaner removes dirt without leaving a film, if used correctly.



Cleaning kit  
PGCLEANINGKIT

High-quality mop set with extra-long ergonomic handle and a mop-cloth holder with a practical Velcro fastener for attaching the mop cloth.



All-round Floor Cleaner  
PGCLEANALL1000

Specially developed for cleaning laminate wood and vinyl flooring. Ideal for removing dirt, grease spots and heel marks, as well as for daily cleaning.



Repair wax  
PGREPAIR

Repair the colour of damaged planks quickly and easily with wax in colours that match the Pergo wood palette. Contains 1 melting knife, 1 comb, 7 wax blocks. For more information on how to mix colours, please visit [pergo.com](http://pergo.com).

## Easy to love, easy to live with.

Thanks to the surface treatment, your laminate floor is not only durable but also easy to maintain.

### Ordinary cleaning

Damp-mop the floor, only when needed. Use Pergo All-round Floor Cleaner and Pergo mop cloth. Dampen the mop cloth with warm water and Pergo All-round Floor Cleaner (mix 2 capfuls of Pergo All-round Floor Cleaner in 10 litre water). Mix carefully according to the manufacturer's instructions. Do not overuse. Used mop should be washed according to labelling, in 60 °C, without any additives. Do not work in larger areas than 15 – 20 m<sup>2</sup> at a time. Make sure the floor is dry after damp mopping.

### Heavily soiled or stained floors

To remove stubborn stains or markings, use Pergo All-round Floor Cleaner and a clean mop, towel or a scratch-free white or red pad if extra treatment is needed. Let it act for a few minutes. Remove the stain by wiping it away with a clean mop dampened with lukewarm water. Repeat if necessary. Wipe dry afterwards.

### Stain-removal guide

**Locally spotted areas:** Apply Pergo All-round Floor Cleaner to the spot. Let the floor cleaner dissolve the stain for a few minutes. Remove the stain by wiping it away with a clean mop dampened with lukewarm water. Repeat if necessary.

**Chocolate, grease, juice, cordials, wine:** Spray with Pergo All-round Floor Cleaner or use warm water added with All-round Floor Cleaner.

**Tar, crayon, lipstick, shoe polish, ink, carbon, nail polish or cigarettes:** Methylated spirit, acetone or household solvent, petroleum spirit.

**Candle wax and chewing gum:** Allow to harden then carefully scrape off.

### Avoid wax and polish

A Pergo laminate floor should never be waxed or polished. Never scrub with steel wool or any other coarse material as this may have a negative effect on the appearance and structure.

### Additional treatments

Some textured surfaces require special treatment as described:  
**Matt textures:** Dirt will generally stick harder to floors with matt textures. We therefore recommend that these types of floors be cleaned more regularly.

**Polished textures:** Dried watermarks are often more visible on polished textures. Always wipe with a dry mop after damp cleaning.

**Floors with bevelled edges:** Because water can accumulate in the bevel, be sure to always wipe dry.

### Protect your floor

We recommend using wheels for hard floors on office chairs. Also protect the floor by using felt pads on furniture legs. Always use a doormat at the front entrance.

# matching matrix



original Excellence	living Expression	Art.nr / Decor	5-in-1 13 x 48 PGINCP(-)	Wallbase straight 12 x 58 PGSK(-)	Wallbase straight 14 x 77 PGPSK(-)	Wallbase straight 14 x 58 PGSKR(-)	Wallbase straight 14 x 77 PGPSKR(-)	Beading 17 x17 PGSCOT(-)	Sealant 310 ml PGKIT(-)
L0241-01599	L0341-01599	Merbau, plank	01599	-	-	01599	01599	-	07
L0241-01801	L0341-01801	Premium Oak, plank	01801	-	-	01801	01801	-	04
L0241-01802	L0341-01802	Mountain Grey Oak, plank	01802	-	-	01802	01802	-	02
L0241-01803	L0341-01803	Thermotreated Oak, plank	01803	-	-	01803	01803	-	08
L0241-01804	L0341-01804	Natural Oak, plank	01731	-	-	01731	01731	-	05
L0241-01805	L0341-01805	Dark Grey Oak, plank	01730	-	-	01730	01730	-	02
L0241-01806	L0341-01806	Black Oak, plank	01806	-	-	01806	01806	-	08
L0241-01807	L0341-01807	Silver Oak, plank	01807	-	-	01807	01807	-	01
L0241-01809	L0341-01809	Natural Sawcut Oak, plank	01798	-	-	01798	01798	-	04
L0241-01810	L0341-01810	Nordic Pine, plank	01810	-	-	01810	01810	-	04
L0241-03364	L0341-03364	Morning Oak, plank	03364	-	-	03364	03364	-	02
L0241-03366	L0341-03366	Vineyard Oak, plank	03366	-	-	03366	03366	-	04
L0241-01786	L0341-01786	Grey Oak, 3-strip	01786	-	-	01786	01786	-	02
L0241-01790	L0341-01790	Solid Oak, 3-strip	01790	-	-	01790	01790	-	04
L0241-01791	L0341-01791	Walnut, 3-strip	01791	-	-	01791	01791	-	07
L0241-01796	L0341-01796	Supreme Beech, 3-strip	01796	-	-	01796	01796	-	03
L0241-01800	L0341-01800	Nordic Ash, 2-strip	01800	-	-	01800	01800	-	03
L0241-03363	L0341-03363	Nordic Grey Oak, 2-strip	01821	-	-	01821	01821	-	02
	L0336-04167	Rustic Oak Nature, plank	01785	-	-	01785	01785	-	05
	L0336-04168	Elegant Walnut, plank	03369	-	-	03369	03369	-	02
	L0336-04169	Royal Dark Walnut, plank	01803	-	-	01803	01803	-	08
	L0336-04170	Authentic Oak Light Grey, plank	01786	-	-	01786	01786	-	02
	L0336-04171	Warm Teak, plank	01731	-	-	01731	01731	-	04
	L0336-04172	Royal Light Walnut, plank	*	-	-	*	*	-	04
	L0336-04173	Brownie Oak, plank	01794	-	-	01794	01794	-	08
L0218-01782	L0318-01782	Concrete Medium Grey	01782	-	-	01782	01782	-	02
L0218-01783	L0318-01783	White Slab	01783	-	-	01783	01783	-	01
L0220-01778	L0320-01778	Charcoal Slate	01778	-	-	01778	01778	-	02
L0220-01779	L0320-01779	Medium Grey Slate	01779	-	-	01779	01779	-	02
L0220-01780	L0320-01780	Light Grey Slate	01780	-	-	01780	01780	-	02
L0220-01781	L0320-01781	Alpaca Slate	01781	-	-	01781	01781	-	02
L0223-01753	L0323-01753	Modern Grey Oak, plank	01753	-	-	01753	01753	-	03
L0223-01754	L0323-01754	Chocolate Oak, plank	01754	-	-	01754	01754	-	08
L0223-01755	L0323-01755	Drift Oak, plank	01755	-	-	01755	01755	-	03
L0223-01756	L0323-01756	European Oak, plank	01756	-	-	01756	01756	-	05
L0223-01757	L0323-01757	Burnt Oak, plank	01757	-	-	01757	01757	-	04
L0223-01760	L0323-01760	Reclaimed Grey Oak, plank	01760	-	-	01760	01760	-	02
L0223-01763	L0323-01763	Midnight Oak, plank	01763	-	-	01763	01763	-	02
L0223-01764	L0323-01764	Winter Oak, plank	01764	-	-	01764	01764	-	02
L0223-01765	L0323-01765	Autumn Oak, plank	01765	-	-	01765	01765	-	02
L0223-01766	L0323-01766	Natural Ash, plank	01766	-	-	01766	01766	-	03
L0223-03359	L0323-03359	Classic Beige Oak, plank	03359	-	-	03359	03359	-	04
L0223-03360	L0323-03360	Royal Oak, plank	03360	-	-	03360	03360	-	08
L0223-03361	L0323-03361	Romantic Oak, plank	03361	-	-	03361	03361	-	02
L0223-03362	L0323-03362	Cottage Grey Oak, plank	03362	-	-	03362	03362	-	02
L0231-03367	L0331-03367	Limed Grey Oak, plank	03367	-	-	03367	03367	-	02
L0231-03368	L0331-03368	Urban Grey Oak, plank	03368	-	-	03368	03368	-	02
L0231-03369	L0331-03369	New England Oak, plank	03369	-	-	03369	03369	-	02
L0231-03370	L0331-03370	Manor Oak, plank	03370	-	-	03370	03370	-	04
L0231-03371	L0331-03371	Farmhouse Oak, plank	03371	-	-	03371	03371	-	08
L0231-03372	L0331-03372	Modern Danish Oak, plank	03372	-	-	03372	03372	-	01
L0231-03373	L0331-03373	Brushed White Pine, plank	03373	-	-	03373	03373	-	01
L0231-03374	L0331-03374	Coastal Oak, plank	03374	-	-	03374	03374	-	03
L0231-03375	L0331-03375	Village Oak, plank	03375	-	-	03375	03375	-	04
L0231-03376	L0331-03376	Scraped Vintage Oak, plank	03376	-	-	03376	03376	-	05
L0231-03866	L0331-03866	Frost White Oak, plank	03866	-	-	03866	03866	-	02
L0231-03867	L0331-03867	Studio Oak, plank	03867	-	-	03867	03867	-	02





original Excellence	living Expression	Art.nr / Decor	5-in-1 13 x 48 PGINCP(-)	Wallbase straight 12 x 58 PGSK(-)	Wallbase straight 14 x 77 PGPSK(-)	Wallbase straight 14 x 58 PGSKR(-)	Wallbase straight 14 x 77 PGPSKR(-)	Beading 17 x17 PGSCOT(-)	Sealant 310 ml PGKIT(-)
L0231-03868	L0331-03868	City Oak, plank	03868	-	-	03868	03868	-	04
L0231-03869	L0331-03869	Black Pepper Oak, plank	03869	-	-	03869	03869	-	08
L0234-03568	L0334-03568	Siberian Oak, plank	03568	-	-	03568	03568	-	02
L0234-03570	L0334-03570	Rocky Mountain Oak, plank	03570	-	-	03570	03570	-	02
L0234-03571	L0334-03571	Seaside Oak, plank	03571	-	-	03571	03571	-	03
L0234-03589	L0334-03589	Chateau Oak, plank	03589	-	-	03589	03589	-	05
L0234-03590	L0334-03590	Country Oak, plank	03590	-	-	03590	03590	-	08
L0234-03870	L0334-03870	Beach Town Oak, plank	03870	-	-	03870	03870	-	04
L0239-04289	L0339-04289	North Cape oak, plank	04289	04289	04289	-	-	04289	01
L0239-04291	L0339-04291	Nordic Sand Oak, plank	04291	04291	04291	-	-	04291	01
L0239-04293	L0339-04293	Skagen Oak, plank	04293	04293	04293	-	-	04293	03
L0239-04295	L0339-04295	Stockholm Oak, plank	04295	04295	04295	-	-	04295	04
L0239-04297	L0339-04297	Island Oak, plank	04297	04297	04297	-	-	04297	03
L0239-04299	L0339-04299	Tundra Oak, plank	04299	04299	04299	-	-	04299	04
L0239-04301	L0339-04301	Riverside Oak, plank	04301	04301	04301	-	-	04301	06
L0239-04303	L0339-04303	Grey Barnhouse Oak, plank	04303	04303	04303	-	-	04303	06
L0239-04305	L0339-04305	Moorland Oak, plank	04305	04305	04305	-	-	04305	03
L0239-04307	L0339-04307	Barnhouse Oak, plank	04307	04307	04307	-	-	04307	02
L0239-04311	L0339-04311	Vintage Grey Oak, plank	04311	04311	04311	-	-	04311	02
L0239-04315	L0339-04315	Weathered Pine, plank	04315	04315	04315	-	-	04315	-
L0239-04317	L0339-04317	Tasmanian Oak, plank	04317	04317	04317	-	-	04317	06
L0239-04319	L0339-04319	Refined Walnut, plank	04319	04319	04319	-	-	04319	06

Domestic Extra Uniclic	Art.nr / Decor					
L0701-1050	Australian Acacia, plank	01789		01789	01789	05
L0701-1459	Harmony Oak, plank	01821		01821	01821	02
L0701-1599	Asian Merbau, plank	01599		01599	01599	07
L0701-1821	Classic Grey Oak, 3-strip	01821		01821	01821	02
L0701-1823	Classic White Oak, plank	01823		01823	01823	01
L0701-1824	Classic Oak, plank	01824		01824	01824	04
L0701-1826	Chalked Oak, plank	01826		01826	01826	04
L0701-2136	Italian Walnut, plank	01798		01798	01798	04
L0701-3173	Chocolate Oak, plank	01798		01798	01798	04
L0701-3184	Warm Natural Oak, plank	03106		03106	03106	05
L0701-3185	Light Natural Oak, plank	01826		01826	01826	04
L0701-3441	Dark Walnut, plank	03441		03441	03441	08
L0701-3442	Warm Teak, plank	01789		01789	01789	05
L0701-3443	Beige Oak, plank	01801		01801	01801	04

## Incizo® stairbase subprofile

PRODUCT GROUP	RANGE	MAT. DESCRIPTION	FITS TO FLOOR THICKNESS
Classic plank	domestic Extra Uniclic	NEINCPBASE2	8 mm
Classic plank, big slab	living Expression / original Excellence	NEINCPBASE2	8 mm
Classic plank 4V	living Expression	NEINCPBASE2	8 mm
Long plank	living Expression / original Excellence	NEINCPBASE6	9.5 mm
Modern plank (Sensation)	living Expression / original Excellence	NEINCPBASE8	8 mm
Modern plank (Sensation)	living Expression / original Excellence	NEINCPBASE9	9 mm
Wide Long Plank (Sensation)	living Expression / original Excellence	NEINCPBASE6	9.5 mm

# technical guide


Features		public Extreme	original Excellence	living Expression	domestic Extra Uniclic
TitanX™		•	•	•	•
Scratch Resistance		Very high	Very high	High	High
AquaSafe Technology*		•	•	•	–
PerfectFold™ 3.0		•	•	•	–
Moisture Resistance		Very high	High	High	Medium
Antistatic		•	•	•	•
Hygienic		•	•	•	•
Environmental label PEFC		•	•	•	•
Environmental label Nordic Ecolabel		•	•	•	•
Triple Guarantee		Lifetime	Lifetime	25 years	20 years
Technical		Standard			
Class of use	EN 13329	34	33	32	32
Fire classification	EN 13501	Bfl-s1	Bfl-s1**	Cfl-s1	Cfl-s1
Formaldehyde emission	EN 717	E1	E1	E1	E1
VOC emission	agBB/DIBt	•	•	•	•
Generic anti-microbial effect	JIS Z 2801	> 99%	> 99%	> 99%	> 99%
Wear Resistance	EN 13329	AC6	AC5	AC4	AC4
Impact Resistance	EN 13329	IC4	IC3	IC2	IC2
Resistance to Castor Chair	EN 13329 (class 34)	No damage	–	–	–
Resistance to Castor Chair	EN 13329	No damage	No damage	No damage	No damage
Slip Resistance	EN 14041	Class DS	Class DS	Class DS	Class DS
Thermal Resistance	EN 12667	0.07 m² K/W	0.07 m² K/W	0.06 m² K/W	0.06 m² K/W
Body Voltage	EN 1815	<2kV (antistatic)	<2kV (antistatic)	<2kV (antistatic)	<2kV (antistatic)

\*available in Modern Plank and Wide Long Plank with a 10-year wet guarantee and Classic Plank with a 5-year wet guarantee.

\*\* Cfl-s1 for Modern Plank 9 mm.


# formats

		Length	Panel, mm		Packages			
			Width	Thickness	Panels/pack	m²/pack	Pack/pallet	m²/pallet
<b>original Excellence</b>								
L0241-xxxxx	Classic Plank, <b>aquasafe</b>	1200	190	8	7	1.596	48	76.61
L0223-xxxxx	Long Plank 4V	2050	205	9.5	6	2.522	44	110.95
L0231-xxxxx	Modern Plank 4V – Sensation, <b>aquasafe</b>	1380	190	8	7	1.835	48	88.08
L0239-xxxxx	Modern Plank 4V – Sensation, <b>aquasafe</b>	1380	190	9	6	1.573	64	100.68
L0234-xxxxx	Wide Long Plank 4V – Sensation, <b>aquasafe</b>	2050	240	9.5	6	2.952	33	97.42
L0218-xxxxx	Big Slab	1224	408	8	2	0.999	80	79.90
L0220-xxxxx	Big Slab 4V	1224	408	8	2	0.999	80	79.90
<b>living Expression</b>								
L0341-xxxxx	Classic Plank, <b>aquasafe</b>	1200	190	8	7	1.596	48	76.61
L0336-xxxxx	Classic Plank, 4V	1257	190.5	8	9	2.155	48	103.44
L0323-xxxxx	Long Plank 4V	2050	205	9.5	6	2.522	44	110.95
L0331-xxxxx	Modern Plank 4V – Sensation, <b>aquasafe</b>	1380	190	8	7	1.835	48	88.08
L0339-xxxxx	Modern Plank 4V – Sensation, <b>aquasafe</b>	1380	190	9	6	1.573	64	100.68
L0334-xxxxx	Wide Long Plank 4V – Sensation, <b>aquasafe</b>	2050	240	9.5	6	2.952	33	97.42
L0318-xxxxx	Big Slab	1224	408	8	2	0.999	80	79.90
L0320-xxxxx	Big Slab 4V	1224	408	8	2	0.999	80	79.90
<b>domestic Extra Uniclic</b>								
L0701-xxxxx	Classic Plank	1200	190	8	7	1.596	60	95.76




### Scratch resistance

The TitanX™ surface offers the best scratch and scuff protection on the market, ensuring that the floor retains its lustre.




### Wear resistance

A Pergo laminate floor will withstand the abrasion and wear of everyday life, year in and year out.



### Impact resistance


A unique multilayer construction and the dense core material protects the floor against dropped objects and high-heeled shoes.



### Scratch resistance

Pergo has an extra layer of aluminium oxide particles that make it more resistant to scratches than most comparable laminate floors. For our test we use Scotch Brite® abrasive fleeces. One part of the surface is rubbed 160 times at a load of 0.4 kg, then we look for scratches. Another part of the surface is rubbed 80 times at a load of 0.6 kg, then we measure the change of gloss. We compare our TitanX™ solutions with four other laminate floors.

**Here's the key to Pergo durability!**  
The TitanX™ surface protection, provides superior resistance to scratch, wear and impact.



### Antistatic flooring

The European method EN 14041 is used to measure the body voltage a walking person collects when walking on a floor. A value below 2 kV is required for antistatic floorings.



**WEAR PROTECTION** Pergo's patented TitanX™ surface is the best multilayer protective floor finish on the market, providing wear resistance that exceeds normal standards for commercial environments.



**SCRATCH RESISTANCE** The TitanX™ surface has an extra protective layer providing the best scratch- and scuff-resistance on the market, so your Pergo floor will retain its lustre much longer than other laminate floors.



**IMPACT RESISTANCE** The unique multilayer construction of our TitanX™ surface, together with a dense core material, provides very high impact resistance for handling dropped objects and high-heeled shoes.



**ANTI-STATIC** Pergo laminate floors eliminate static electricity. Electrostatic charges are dissipated through electrically conductive graphite in the flooring. This method fulfils the market's most stringent antistatic requirements.



**EASIER CLEANING** A Pergo floor with TitanX™ surface is much easier to clean than ordinary floors. The reason is that the TitanX™ surface is so tightly sealed that dirt simply cannot take hold.



**WATER RESISTANCE** Pergo combines moisture-resistant core materials with a strong and tight click-joint. On some of our ranges we also apply the unique Aquasafe technology. The result is some of the most water-resistant floors on the market.



**HIGH FIRE RESISTANCE** A Pergo floor with TitanX™ surface has a natural high resistance to fire thanks to its multilayer construction. This, combined with the core's density, allows for faster heat dissipation.





**HYGIENIC** A Pergo laminate floor makes it easier to maintain a high level of hygiene. Bacteria require nourishment and moisture in order to thrive, and the tightly sealed, easy to clean TitanX™ surface makes this impossible. This provides a high level of hygiene naturally, without chemical antiseptics.



**EASY INSTALLATION** Pergo's patented PerfectFold™ 3.0 installation system makes installation faster and easier because you simply fold the floor into place.

**Our floors look even better in real life!**

Visit our website and order samples of your favourite designs.



[pergo.com](http://pergo.com)

**PERGO®**